



Kenstan Lock Company manufactures a full line of high-quality showcase and cabinet locks for commercial, retail and industrial use. With our commitment to total service, we can assist you with security layouts, keying plans and customized products to meet your specific security demands.



				M
		E	 Medeco® Core	A
D		 Electronic		 Accessories
 Disc Tumbler	K		 Pin Tumbler	P
	 Keymatic	I		
 ASSA®	S	 I.C. Core	V	 ABLOY®
			Custom Lock Design and Manufacturing Solutions Custom Work	C

Since 1963, Kenstan Lock Company has manufactured several lines of high-quality showcase and cabinet locks, each with their own unique security features. Each year, we continue to enhance our existing product lines, while adding new products to meet the ever-changing needs of our commercial, industrial and retail clients. We also offer a wide range of door hardware locks, such as mortise and rim cylinders, as well as lever and tubular handles for fitting rooms, stock rooms, offices, etc.

Our product lines are complimented by Kenstan associates who are available to assist you with security layouts, keying plans and custom products as needed.

Each of our lines, and all of our products, are manufactured using the highest standards of quality and we stand behind each and every product we deliver. From the quality products assembled in our factory to our shipping and customer service departments, our goal is to provide the best service possible, from start to finish.

At Kenstan, we take pride in our reputation that has been built on quality products, reliability and the exceptional customer service that our clients depend on.



Kenstan Line of Locks



D

D Line - Disc Tumbler Locks **Basic cabinet and showcase locks**

Our standard security line of flat key Disc Tumbler locks is available in various lock types, including Cam, Plunger, Dead Bolt, Spring Bolt, Z Bolt and Ratchet locks. Each lock can be keyed alike, keyed different and master keyed. **New** for 2011 Removable Core...



K

K Line - Keymatic Locks **A revolutionary security system with 8 locks in 1**

These tubular key pin tumbler locks contain 8 key combinations in each lock and thousands of key codes. Every Keymatic lock permits you to reset the lock to one of the eight key combinations using our Red Change Tool. Our **K** Line offers the same diverse lock types as our **D** Line.



M

M Line - Kenstan Locks featuring Medeco® Cores **High security with restricted keys**

Our **M** line High Security, Biaxial Pin Tumbler showcase and cabinet locks provides an extremely long service life. Our **M** Line locks use genuine Medeco® cores manufactured to Kenstan specifications. Many of the locks within our **M** line are also available with a Key Removable Core (our **R** Series). All locks within our **M** line come with either Restricted Biaxial or Medeco3® Restricted Biaxial keyways and can be keyed alike, keyed different, master keyed and grand master keyed.



S

S Line - Kenstan Locks featuring ASSA® Cores **High security with restricted keys**

Our **S** line showcase and cabinet locks offer direct drive pin technology and are designed to offer a high level of physical security. The cylinder locking mechanism is uniquely designed to offer smooth operation and long life. All **S** Line locks can be keyed alike, keyed different and master keyed. **New** for 2011 Removable Core...



V

V Line - Kenstan Locks featuring ABLOY® Cores **High security with restricted keys**

Our **V** line showcase and cabinet locks offer rotating disc technology and are designed to offer a high level of physical security. The disc-style locking mechanism is designed without springs, assuring long life and smooth operation. All **V** Line locks can be keyed alike, keyed different, master keyed, grand master keyed and great grand master keyed.



I

I Line - I.C. Core Locks **A complete line of Interchangeable Core locks**

These 6 and 7 pin I.C. locks feature the traditional figure 8 Interchangeable Core equivalent to Best Access lock housings and cores – but with some additional features. Our **I** Line includes a full line of Cam, Dead Bolt, Spring Bolt, Plunger and Ratchet locks, as well as door hardware locks such as Rim and Mortise Cylinders, Lever and tubular handles and other specialized locking devices. All **I** Line locks can be keyed alike, keyed different, master keyed and grand master keyed.



P

P Line - Pin Tumbler Locks **Pin Tumblers for longer life and greater security**

This is our line of Flat Key Pin tumbler locks available in National, Corbin and Schlage keyways. As with other Kenstan lock lines, our **P** Line comes in a wide variety of lock types such as Cam, Dead Bolt, Spring Bolt and Plunger locks. The **P** line can be keyed alike, keyed different, master keyed and grand master keyed.

New




E

E Line - Electronic Locks **High security with access control**

The **E** CyberLock® is an innovative lock system that can not only be specified for new applications, but can easily replace or convert existing mechanical locks into a stand alone access control system. With electronic lock cylinders, programmable CyberKeys, and CyberAudit software, you can create a powerful system to track and control access to every lock in your facility. No wiring is required, and there is no battery in the lock to maintain. It's the battery in the key that powers the lock.

Disc Tumbler Line of Locks

		D	K	M	S	V	I	P	E	A
										
Introduction	$\frac{D}{1}$									
Cam Locks	$\frac{D}{2}$ $\frac{D}{3}$									
Drawer/Door Locks	$\frac{D}{4}$									
Gang Locks	$\frac{D}{5}$									
Snap Bolt Lock	$\frac{D}{6}$									
Plunger Locks	$\frac{D}{7}$ $\frac{D}{8}$ $\frac{D}{9}$ $\frac{D}{10}$ $\frac{D}{11}$									
Z Bolt Locks	$\frac{D}{12}$									
Ratchet Locks	$\frac{D}{13}$									
Core	$\frac{D}{14}$									
Keys	$\frac{D}{15}$									



Disc Tumbler Line of Locks


Standard Plating Finish



* Special Plating Finishes



* Custom Plating Finish



* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Kenstan is expanding the Disc Tumbler **D** line of locks. Beginning in 2011, many of our **D** (54G) keyway and **B** (Kenstan B) keyway locks will be available in the removable core version. The **B** keyway locks severely limits unauthorized key duplication since key blanks are never sold.

All new orders without existing assigned key specifications will be made with our **B** keyway core.

The original **D** (54G) keyway locks and keys will still be available for purchase to match existing key systems.

Our large component inventory and assemble-to-order factory enables you to order door locks, drawer locks and sliding door lock types keyed alike, keyed individually or in groups, and master keyed using hundreds of key combinations. Kenstan maintains a historical database of keying records, giving you the ability to match key numbers to support the security needs of a specific end user.

Note: All keys are now sold separately. Please refer to our Disc Tumbler Key section for details.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **D** line standard plating finish is Polished Nickel.

A wide range of special plating finishes is also available, including Satin Nickel, Polished Brass, Satin Brass, Statuary Bronze, Matte Black and Custom Finishes to match your showcase hardware.

Please note: Plating lot charges may apply to the special finishes – call for pricing.

Key Control

Kenstan can register your keys and maintain your key plans by store, retail department, showcase/cabinets, or office and we maintain a historical database of key numbers.

Key Retaining vs. Non-Key Retaining Lock Function

The **D** line standard operation is a non-key retaining function (non-captive), which means that the operating key can be removed in both the locked and unlocked position.

For higher security we recommend the key retaining (captive) function, which ensures that the key can only be removed in the locked position and cannot be accidentally left in the open/unlocked position.

Designer Note: For true captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of non by-passing sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the secure position.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I	J
CL	B	05	1203	PN	Y	Y	Y	N	106

A Lock Style				
	CL	Cam Lock		
B Core Type		Price		
	B	Kenstan B Keyway	Std.	
New	BR	Kenstan B Keyway Removable Core	\$0.50	
	D	54G Keyway	0.25	
New	DR	54G Keyway Removable Core	0.75	
C Housing Length				
		MAXIMUM MATERIAL THICKNESS	BARREL LENGTH	
	01*	1/8"	7/16"	8.93
	02*	1/4"	5/8"	9.27
	03*	1/2"	7/8"	9.68
	04*	15/16"	1-1/8"	10.41
	05	1-1/8"	1-3/8"	11.31
	06	1-1/2"	1-11/16"	13.84
	10*	1-3/8"	1-3/4"	31.23
	11	1-3/4"	2"	31.96
	12	2"	2-1/4"	32.87
	13*	2-1/4"	2-3/4"	34.56
	14	2-5/8"	3"	35.29
	15	3"	3-1/4"	36.20
D Cam Rotation*				
		LOCKED	OPEN	
	0312	3	12	
	0306	3	6	
	0309	3	9	
	0612	6	12	
	0603	6	3	
	0609	6	9	
	0912	9	12	
	0903	9	3	
	0906	9	6	
	1203	12	3	
	1206	12	6	
	1209	12	9	
E Plating Finish				
	PN	Polished Nickel	Std.	
	SN	Satin Nickel	0.95	
	PB	Polished Brass	0.95	
	SB	Satin Brass	2.50	
	BL	Matte Black	2.50	
	ST	Statuary Bronze	2.50	
	CF	Custom Finish	Call	
F Key Retaining				
	N	No	0.00	
	Y	Yes	0.00	
G Keyed Different				
	N	No	Std.	
	Y	Yes	0.45	
H Stamp Lock				
	N	No	Std.	
	Y	Yes	0.45	
I Master Keyed				
	N	No	Std.	
	Y	Yes	1.85	

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock.
See page D15 to order keys.




All Cam Locks come with a 1-1/4" Straight Cam unless a different cam is chosen.

J Cam Type	Price
STRAIGHT	
101 5/8"	\$ 0.00
102 3/4"	0.00
103 7/8"	0.00
104 1"	0.00
105 1-1/8"	0.00
106 1-1/4"	Std.
107 1-3/8"	0.45
108 1-1/2"	0.45
110 1-3/4"	0.45
112 2"	0.50
116 2-1/2"	0.50
1/8" OFFSET	
303 7/8"	0.60
306 1-1/4"	0.65
308 1-1/2"	0.65
312 2"	0.70
1/4" OFFSET	
403 7/8"	0.60
404 1"	0.65
406 1-1/4"	0.65
408 1-1/2"	0.65
410 1-3/4"	0.65
412 2"	0.70
414 2-1/4"	0.70
3/8" OFFSET	
504 1"	0.65
506 1-1/4"	0.65
508 1-1/2"	0.65
512 2"	0.70
1/2" OFFSET	
606 1-1/4"	0.65
608 1-1/2"	0.65
610 1-3/4"	0.65
612 2"	0.70
5/8" OFFSET	
712 2"	2.00
HOOK	
202 3/4"	0.60
204 1"	0.65
206 1-1/4"	0.65
208 1-1/2"	0.65
210 1-3/4"	0.65
FOR SWITCH KIT	
SL No Cam*	0.00
CUSTOM CAM	
CL	Call


*Switch option available. See Page A10 to order switch kit.

*Not available in Removable Core


HOUSING LENGTH 01, 02, 03, 04 and 05




HOUSING LENGTH 06



HOUSING LENGTH 10, 11, 12, 13, 14 and 15




CAN ROTATION (Front of lock shown)




*All 180 degree rotations are clockwise, unless specified.

CAM LOCK GLASS INSTALLATION PACKAGE (See Accessories page A8 for prices)



Cam Type




Straight Cam

Offset Cam


Hook Cam

Note: All cams are reversible.


WOOD INSTALLATION WITH STRAIGHT CAM



METAL INSTALLATION WITH OFFSET CAM



GLASS INSTALLATION WITH HOOK CAM



CALL KENSTAN FOR LOCK ILLUSTRATION.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	B	S	2001	PN	N	Y	Y	N

A Lock Style		
	DL	Drawer/Door Lock
B Core Type		
	B	Kenstan B Keyway
New	BR	Kenstan B Keyway Removable Core
	D	54G Keyway
New	DR	54G Keyway Removable Core
C Housing Length		
	S	13/16"
	M	1-1/16"
	L	1-3/16"
D Bolt Type		
STRAIGHT BOLT		
	2001	1-1/16"
	2002	1-11/16"
	2003	2-5/16"
	2004	3-1/8"
3/8" OFFSET BOLT		
	2205	1-5/8"
DIECAST SPRING BOLT		
	3209	1-5/16" Std.
INVERTED SLIDING SPRING BOLT		
	3410	1-5/16" Left
	3411	1-5/16" Right
E Plating Finish		
	PN	Polished Nickel
	SN	Satin Nickel
	PB	Polished Brass
	SB	Satin Brass
	BL	Matte Black
	ST	Statuary Bronze
	CF	Custom Finish
F Key Retaining		
* Option available only on Straight Bolt and 3/8" Offset Bolt models.		
	N	No
	Y*	Yes
G Keyed Different		
	N	No
	Y	Yes
H Stamp Lock		
	N	No
	Y	Yes
I Master Keyed		
	N	No
	Y	Yes

Prices vary according to quantity ordered.



NOTE: Keys are not included with this lock. See page D15 to order keys.





"Throw" (distance bolt travels from the locked to unlocked position) is 5/16".

All dimensions shown are in the locked position.



STRAIGHT BOLT





3/8" OFFSET BOLT



DIECAST SPRING BOLT (3/16" bolt engagement recommended)



INVERTED SLIDING SPRING BOLT



Item Number





To determine your item number choose the **RED** option code from each section below.

A Lock Style		
GL	Gang Lock	
B Core Type		Price
B	Kenstan B Keyway	Std.
<i>New</i> BR	Kenstan B Keyway Removable Core	\$0.50
D	54G Keyway	0.25
<i>New</i> DR	54G Keyway Removable Core	0.75
C Housing Length		
S	13/16"	10.71
M	1-1/16"	11.97
L	1-3/16"	12.95
D Mount Style/Bar Length		
FRONT MOUNT LOCKED UP		
2424	24"	7.75
2436	36"	9.10
2448	48"	19.95
24CL	Custom	Call
24NO	No Bar	1.07
SIDE MOUNT LOCKED UP		
2624	24"	7.75
2636	36"	9.10
2648	48"	19.95
26CL	Custom	Call
FRONT MOUNT LOCKED DOWN		
2824	24"	7.75
2836	36"	9.10
2848	48"	19.95
28CL	Custom	Call
28NO	No Bar	1.07
SIDE MOUNT LOCKED DOWN		
3024	24"	7.75
3036	36"	9.10
3048	48"	19.95
30CL	Custom	Call
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	2.50
BL	Matte Black	2.50
ST	Statuary Bronze	2.50
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	1.00
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85


Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.

"Throw" (distance bolt travels from the locked to unlocked position) is 5/16".

FRONT MOUNT - FRONT VIEW**FRONT MOUNT** (Shown with a Gang 3C Kit)**FRONT MOUNT - SIDE VIEW****SIDE MOUNT** (Shown with a Gang 3C Kit)**Gang Lock Packages**

To determine your item number enter the **RED** option code for each section as in the example below.



GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package		
GANG		
B Number of Drawers		Price
2		\$ 6.86
3		9.93
4		13.76
C Pin Length		
A	5/8"	
B	3/4"	
C	1-1/8"	
D	1-7/8"	

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	B	S	36	PN	N	Y	Y	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type		
B	Kenstan B Keyway	Std.
<i>New</i> BR	Kenstan B Keyway Removable Core	\$0.50
D	54G Keyway	0.25
<i>New</i> DR	54G Keyway Removable Core	0.75
C Housing Length		
S	13/16"	17.30
M	1-1/16"	18.57
L	1-3/16"	19.54
D Bolt Type		
SNAP BOLT		
36	3/4"	
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	2.50
BL	Matte Black	2.50
ST	Statuary Bronze	2.50
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85



Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.




All dimensions shown are in the locked position.


SNAP BOLT




STRIKE FRONT VIEW




STRIKE SIDE VIEW



STRIKE TOP VIEW



ISOMETRIC VIEW



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	B	40	S3	PN	Y	Y	Y	N





A Lock Style		
PL	Plunger Lock	
B Core Type		
B	Kenstan B Keyway	Std.
BR	Kenstan B Keyway Removable Core	\$0.50
D	54G Keyway	0.25
DR	54G Keyway Removable Core	0.75
C Housing Style		
40	Oval Flange	
D Plunger Type/Length		
S SERIES		
S1	3/8"	16.81
S2	7/16"	16.62
S3	5/8"	16.42
T SERIES		
T1	1/4"	21.04
T3	9/16"	20.95
ROUND SERIES		
R1	3/8"	17.39
R2	7/16"	17.15
R3	5/8"	16.91
ROUND EXTENDED SERIES		
R4	1-3/16"	21.67
R5	1-5/16"	21.77
R6	1-11/16"	21.87
R7	2-7/16"	21.97
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	2.50
BL	Matte Black	2.50
ST	Statuary Bronze	2.50
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	1.00
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.



All dimensions shown are in the locked position.

S SERIES**T SERIES****ROUND SERIES****ROUND EXTENDED SERIES (Plunger travels 5/8")**

**Item Number**

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	B	45	S3	PN	Y	Y	Y	N

A Lock Style

PL Plunger Lock

B Core Type**Price**

B	Kenstan B Keyway	Std.
<i>New</i> BR	Kenstan B Keyway Removable Core	\$0.50
D	54G Keyway	0.25
<i>New</i> DR	54G Keyway Removable Core	0.75

C Housing Style

45 No Flange

D Plunger Type/Length**S SERIES**

S1	5/16"	18.35
S2	7/16"	18.15
S3	5/8"	17.96

T SERIES

T1	1/4"	22.58
T3	9/16"	22.69

ROUND SERIES

R1	5/16"	18.93
R2	7/16"	18.69
R3	5/8"	18.44

ROUND EXTENDED SERIES

R4	1-3/16"	23.21
R5	1-5/16"	23.31
R6	1-11/16"	23.41
R7	2-7/16"	23.51

E Plating Finish

PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	2.50
BL	Matte Black	2.50
ST	Statuary Bronze	2.50
CF	Custom Finish	Call

F Key Retaining

N	No	Std.
Y	Yes	1.00

G Keyed Different

N	No	Std.
Y	Yes	0.45

H Stamp Lock

N	No	Std.
Y	Yes	0.45

I Master Keyed





N	No	Std.
Y	Yes	1.85

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock.
See page D15 to order keys.



All dimensions shown are in the locked position.

S SERIES**T SERIES****ROUND SERIES****ROUND EXTENDED SERIES (Plunger travels 5/8")**

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	B	49	X	PN	Y	Y	Y	N



A Lock Style		
PL	Plunger Lock	
B Core Type		Price
B	Kenstan B Keyway	Std.
D	54G Keyway	\$0.25
C Housing Style		
49	Through the Track Plunger	23.95
D Plunger Type		
X	No Option	
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	1.00
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.



All dimensions shown are in the locked position.

THROUGH THE TRACK PLUNGER**ISOMETRIC VIEW WITH METAL TRACK**

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.



A Lock Style		
PL	Plunger Lock	
B Core Type		Price
B	Kenstan B Keyway	Std.
<i>New</i> BR	Kenstan B Keyway Removable Core	\$0.50
D	54G Keyway	0.25
<i>New</i> DR	54G Keyway Removable Core	0.75
C Housing Style		
50	Round Flange	
D Plunger Type/Length		
S SERIES		
S1	3/8"	34.42
S2	7/16"	34.22
S3	5/8"	34.03
T SERIES		
T1	1/4"	38.65
T3	9/16"	38.55
L SERIES		
L3	3/8"	36.51
ROUND SERIES		
R1	3/8"	35.00
R2	7/16"	34.76
R3	5/8"	34.51
ROUND EXTENDED SERIES		
R4	1-3/16"	39.28
R5	1-5/16"	39.38
R6	1-11/16"	39.48
R7	2-7/16"	39.58
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	2.50
BL	Matte Black	2.50
ST	Statuary Bronze	2.50
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	1.00
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock. See page D15 to order keys.




All dimensions shown are in the locked position.

S SERIES (Parts included same as Round Series)**T SERIES**


PARTS INCLUDED	QTY.
(a) DOUGHNUT	2
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	4
(d) PLASTIC SPACER	2
(e) SCREW	8
(f) STRIKE PLATE	1

L SERIES

PARTS INCLUDED	QTY.
(a) DOUGHNUT	1
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	2
(d) PLASTIC SPACER	1
(e) SCREW	4

ROUND SERIES (Plunger travels 5/8")

PARTS INCLUDED	QTY.
(a) DOUGHNUT	1
(c) PLASTIC WASHER	2
(d) PLASTIC SPACER	1
(e) SCREW	4

T SERIES INSTALLATION

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	B	51	B6	PN	N	Y	Y	N




A	Lock Style		
	PL	Plunger Lock	
B	Core Type		Price
	B	Kenstan B Keyway	Std.
	D	54G Keyway	\$0.25
C	Housing Style		
	51	Key Hole Lock	
D	Material Thickness/Plunger		
		MATERIAL THICKNESS	PLUNGER LENGTH
	SHORT PLUNGER		
	B3	1/4"	3/4" Std. 26.08
	B4	3/8"	5/8" 26.17
	LONG PLUNGER		
	B6	1/4"	1-1/2" Std. 25.13
	B7	3/8"	1-3/8" 25.22
	B8	7/8"	1-1/32" 25.31
E	Plating Finish		
	PN	Polished Nickel	Std.
	SN	Satin Nickel	0.95
	PB	Polished Brass	0.95
	SB	Satin Brass	2.50
	BL	Matte Black	2.50
	ST	Statuary Bronze	2.50
	CF	Custom Finish	Call
F	Key Retaining		
	N	No	Std.
	Y	Yes	1.00
G	Keyed Different		
	N	No	Std.
	Y	Yes	0.45
H	Stamp Lock		
	N	No	Std.
	Y	Yes	0.45
I	Master Keyed		
	N	No	Std.
	Y	Yes	1.85

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.



All dimensions shown are in the locked position.

SHORT PLUNGER**LONG PLUNGER****KEY HOLE LOCK - EXPLODED VIEW**



ZL38

Z Bolt Lock

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
ZL	B	38	Z1	PN	Y	Y	Y	N



A Lock Style		
ZL	Z Bolt Lock	
B Core Type		
B	Kenstan B Keyway	Std.
D	54G Keyway	\$0.25
C Housing Style		
38	Sliding Door Dead Bolt	
D Bolt Type/Length		
SMALL HOUSING BOLT		
Z1	5/16" Std.	14.30
Z2	1/2"	14.62
Z3	13/16"	14.84
LARGE HOUSING BOLT		
Z5	5/16" Std.	20.95
Z6	1/2"	21.27
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	2.50
BL	Matte Black	2.50
ST	Statuary Bronze	2.50
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	1.00
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.



All dimensions shown are in the locked position.

SMALL HOUSING**LARGE HOUSING**

Item Number



To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
RL	B	60	B1	PN	N	Y	Y	N

A Lock Style		
RL	Ratchet Lock	
B Core Type		Price
B	Kenstan B Keyway	Std.
D	54G Keyway	\$0.25
C Housing Style		
60	Ratchet	
D Bar Type		
B1	Standard	15.22
B2	Adjustable	17.96
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.85

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page D15 to order keys.

**STANDARD BAR B1****ADJUSTABLE BAR B2**

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H
COR	BR	5	PN	N	N	Y	Y

A	Lock Style		
	COR Core		
B	Core Type		Price
	BR Kenstan B Keyway Removable Core		\$7.85
	DR 54G Keyway Removable Core		8.10
C	Number of Tumbler		
	5 Std. 5 Tumbler		
D	Plating Finish		
	PN Polished Nickel		Std.
	SN Satin Nickel		0.95
	PB Polished Brass		0.95
	SB Satin Brass		2.50
	BL Matte Black		2.50
	ST Statuary Bronze		2.50
	CF Custom Finish		Call
E	Key Retaining		
	N No Option		
F	Keyed Different		
	N No		Std.
	Y Yes		0.45
G	Stamp Lock		
	N No		Std.
	Y Yes		0.45
H	Master Keyed		
	N No		Std.
	Y Yes		1.85

Prices vary according
to quantity ordered.

NOTE: Keys are not included with Core.
See page D15 to order keys.



USED ON THE FOLLOWING REMOVABLE CORE LOCK TYPES:

-CAM LOCKS

-DRAWER/DOOR LOCKS

-GANG LOCKS

-DL36 SNAP BOLT LOCK

-PL40 PLUNGER LOCKS

-PL45 PLUNGER LOCKS

-AND

-PL50 PLUNGER LOCKS

Disc Tumbler B Controlled Keys

Since the beginning of 2007, our Disc Tumbler **B** (Kenstan B) keyway was made standard product offering. The **B** Keyway severely limits unauthorized key duplication since key blanks are never sold. Cut keys can only be ordered through the Kenstan factory. All new lock orders **without** keying specifications or specified key numbers will be assembled with the **B** keyway components and keys. To easily identify **B** keyway locks a "B" is marked on the Core face. Keys are sold separately from the locks.

Disc Tumbler "54G" Keys.

In an effort to minimize key proliferation, Kenstan does not include keys with **D** (54G) keyway locks. All keys must be ordered separately.

Kenstan recommends the purchase of our factory original keys to ensure smooth lock operation. Use of non-Kenstan copy keys will void the Kenstan Warranty on our locks.

Kenstan Control Keys are used to remove and replace the cores on Removable Core locks.



Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D
KEY	B	O	A

A	Item	
	KEY Key	
B	Core Type	Price
	D Disc Tumbler	\$0.50
	B Controlled Keyway	0.50
C	Key Function	
	O Operating	
	M Master	
<i>New</i>	C Control	
D	Key Code	
	XXXXX Specific	
	Up to 5 digits	
	A Any	
	Kenstan assigns	

Keymatic Line of Locks

		K	D	M	S	V	I	P	E	A
										
Introduction	$\frac{K}{1}$									
Cam Locks	$\frac{K}{2}$ $\frac{K}{3}$									
Drawer/Door Locks	$\frac{K}{4}$									
Gang Locks	$\frac{K}{5}$									
Snap Bolt Lock	$\frac{K}{6}$									
Plunger Locks	$\frac{K}{7}$ $\frac{K}{8}$ $\frac{K}{9}$ $\frac{K}{10}$ $\frac{K}{11}$									
Z Bolt Locks	$\frac{K}{12}$									
Ratchet Locks	$\frac{K}{13}$									
Keys	$\frac{K}{14}$									




Standard Plating Finish



* Special Plating Finishes



* Custom Plating Finish



* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Keymatic Line of Locks

Our **K** line offers excellent security in a variety of lock types that can be keyed to thousands of different key codes. Each key code has eight individual operating keys 1 through 8, used one at a time to operate the lock. Our **Red Change Tool** can reset the lock to allow a new operating key (within the assigned code) to open the lock any time a key is lost or stolen – truly eight locks in one.

Locks can be keyed alike, individually or in groups

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **K** line standard plating finish is Polished Nickel.

A wide range of special plating finishes is also available, including Satin Nickel, Polished Brass, Matte Black, Statuary Bronze, Satin Brass and Custom Finishes to match your showcase hardware.

Please note: Plating lot charges may apply to the special finishes – call for pricing.

Key Control

Keymatic locks and keys are built to a high level of precision, making key duplication very difficult. Please note: We recommend our factory original key for smooth lock operation. Use of non-Kenstan copy will void the Kenstan warranty on our locks.

We can register your keys and maintain your key plans by store, retail department, showcase/cabinets, or office and we maintain a historical database of key numbers.

All operating keys are stamped with a two-digit, alpha numeric date code, a four-digit, numeric Keymatic code and a one-digit, numeric setting code (from 1 to 8) with a matching color coded key cover.

The **Red Change Tool** is stamped with the same code as the operating key, except without the setting code.

Key Retaining vs. Non-Key Retaining Lock Function

The **K** line standard operation is a key retaining function (captive), which means that the operating key can be removed in the locked position only; therefore, the lock cannot be accidentally left in the open/unlocked position.

K locks can also be supplied as non-key retaining (non-captive), which allows the key to be removed in both the locked and unlocked position.

Designer Note: For true captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of non by-passing sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the secure position.


Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G
CL	K	05	1203	PN	Y	106

A Lock Style			Price
CL	Cam Lock		
B Core Type			Price
K	Keymatic		
C Housing Length			Price
	MAXIMUM MATERIAL THICKNESS	BARREL LENGTH	
02	1/2"	11/16"	\$21.16
03	11/16"	15/16"	21.94
04*	7/8"	1-1/8"	22.71
05	1-1/4"	1-1/2"	23.48
10	1-5/8"	1-13/16"	39.59
11	1-13/16"	2"	40.36
12	2-1/8"	2-3/8"	41.13
13	2-1/2"	2-13/16"	41.91
14	2-11/16"	3"	42.68
15	3"	3-3/8"	43.45
D Cam Rotation			Price
	LOCKED	OPEN	
0312	3	12	
0306	3	6	
0309	3	9	
0612	6	12	
0603	6	3	
0609	6	9	
0912	9	12	
0903	9	3	
0906	9	6	
1203	12	3	
1206	12	6	
1209	12	9	
E Plating Finish			Price
PN	Polished Nickel		
SN	Satin Nickel		Std.
PB	Polished Brass		0.95
SB	Satin Brass		0.95
BL	Matte Black		3.35
ST	Statuary Bronze		3.35
CF	Custom Finish		3.35
F Key Retaining			Price
N	No		
Y	Yes		Std.

Prices vary according to quantity ordered.




Note: All Cam Locks come with a 1-1/4" Straight Cam unless a different cam is chosen.


G Cam Type			Price
STRAIGHT			
101	5/8"		\$ 0.00
102	3/4"		0.00
103	7/8"		0.00
104	1"		0.00
105	1-1/8"		0.00
106	1-1/4"		Std.
107	1-3/8"		0.45
108	1-1/2"		0.45
110	1-3/4"		0.45
112	2"		0.50
116	2-1/2"		0.50
1/8" OFFSET			
303	7/8"		0.60
306	1-1/4"		0.65
308	1-1/2"		0.65
312	2"		0.70
1/4" OFFSET			
403	7/8"		0.60
404	1"		0.65
406	1-1/4"		0.65
408	1-1/2"		0.65
410	1-3/4"		0.65
412	2"		0.70
414	2-1/4"		0.70
3/8" OFFSET			
504	1"		0.65
506	1-1/4"		0.65
508	1-1/2"		0.65
512	2"		0.70
1/2" OFFSET			
606	1-1/4"		0.65
608	1-1/2"		0.65
610	1-3/4"		0.65
612	2"		0.70
5/8" OFFSET			
712	2"		2.00
HOOK			
202	3/4"		0.60
204	1"		0.65
206	1-1/4"		0.65
208	1-1/2"		0.65
210	1-3/4"		0.65
FOR SWITCH KIT			
SL	No Cam*		0.00
CUSTOM CAM			
CL			Call

*Switch option available. See Page A10 to order switch kit.


HOUSING LENGTHS 02, 03, 04 and 05




HOUSING LENGTHS 10, 11, 12, 13, 14 and 15



CAM LOCK - EXPLODED VIEW




CAM ROTATIONS (Front of lock shown)




All 180 degree rotations are clockwise, unless specified.

CAM LOCK GLASS INSTALLATION PACKAGE (See Accessories page A8 for prices)



Cam Type




Straight Cam

Offset Cam


Hook Cam

Note: All cams are reversible.


WOOD INSTALLATION WITH STRAIGHT CAM



METAL INSTALLATION WITH OFFSET CAM



GLASS INSTALLATION WITH HOOK CAM



CALL KENSTAN FOR LOCK ILLUSTRATION.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
DL	K	S	2001	PN	Y

A Lock Style		
DL	Drawer/Door Lock	
B Core Type		
K	Keymatic	
C Housing Length		Price
S	13/16"	\$24.38
M	1-1/16"	26.24
L	1-3/16"	28.80
D Bolt Type		
STRAIGHT BOLT		
2001	1-1/16"	Std.
2002	1-11/16"	0.10
2003	2-5/16"	0.20
2004	3-1/8"	0.30
3/8" OFFSET BOLT		
2205	1-5/8"	0.60
DIECAST SPRING BOLT		
3209	1-5/16" Std.	2.03
INVERTED SLIDING SPRING BOLT		
3410	1-5/16" Left	9.97
3411	1-5/16" Right	9.97
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
* Option available only on Straight Bolt and 3/8" Offset Bolt models.		
N	No	1.25
Y*	Yes	Std.


Prices vary according to quantity ordered.




"Throw" (distance bolt travels from the locked to unlocked position) is 5/16".

All dimensions shown are in the locked position.


STRAIGHT BOLT




3/8" OFFSET BOLT



DIECAST SPRING BOLT (3/16" bolt engagement recommended)



INVERTED SLIDING SPRING BOLT



Note: Keys are not included with this lock.
See page K14 to order keys.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.




A	B	C	D	E	F
GL	K	S	2448	PN	Y

A Lock Style		
GL	Gang Lock	
B Core Type		
K	Keymatic	
C Housing Length		Price
S	13/16"	\$23.47
M	1-1/16"	25.28
L	1-3/16"	27.77
D Mount Style/Bar Length		
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED UP	
	2424	24" 7.75
	2436	36" 9.10
	2448	48" 19.95
	24CL	Custom Call
	24NO	No Bar 1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED UP	
	2624	24" 7.75
	2636	36" 9.10
	2648	48" 19.95
	26CL	Custom Call
	FRONT MOUNT LOCKED DOWN	
Notch for Pin must be on Bottom of Drawer	2824	24" 7.75
	2836	36" 9.10
	2848	48" 19.95
	28CL	Custom Call
	28NO	No Bar 1.07
	SIDE MOUNT LOCKED DOWN	
Notch for Pin must be on Top of Drawer	3024	24" 7.75
	3036	36" 9.10
	3048	48" 19.95
	30CL	Custom Call
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.25
Y	Yes	Std.


Prices vary according to quantity ordered.

Note: Keys are not included with this lock. See page K14 to order keys.

Throw (distance bolt travels from the locked to unlocked position) is 5/16".

FRONT MOUNT – FRONT VIEW**FRONT MOUNT** (Shown with a Gang 3C Kit)**FRONT MOUNT – SIDE VIEW****SIDE MOUNT** (Shown with a Gang 3C Kit)

2424
2436
2448
24CL
2824
2836
2848
28CL



2624
2636
2648
26CL
3024
3036
3048
30CL

Gang Lock Packages

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C
GANG	3	C

GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package	
GANG	
B Number of Drawers	
2	\$ 6.86
3	9.93
4	13.76
C Pin Length	
A	5/8"
B	3/4"
C	1-1/8"
D	1-7/8"

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
DL	K	M	36	PN	N

A	Lock Style	
DL	Drawer/Door Lock	
B	Core Type	
K	Keymatic	
C	Housing Length	Price
S	13/16"	\$28.22
M	1-1/16"	30.08
L	1-3/16"	32.64
D	Bolt Type	
SNAP BOLT		
36	3/4"	
E	Plating Finish	
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F	Key Retaining	
N	No	Std.



Prices vary according to quantity ordered.

Note: Keys are not included with this lock. See page K14 to order keys.




All dimensions shown are in the locked position.


SNAP BOLT




STRIKE FRONT VIEW




STRIKE SIDE VIEW



STRIKE TOP VIEW



ISOMETRIC VIEW



Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	K	40	S3	PN	Y





A Lock Style	
PL Plunger Lock	
B Core Type	
K Keymatic	
C Housing Style	
40 Oval Flange	
D Plunger Type/Length	Price
S SERIES	
S1 3/8"	\$27.75
S2 7/16"	27.55
S3 5/8"	27.35
T SERIES	
T1 1/4"	32.12
T3 9/16"	32.02
ROUND SERIES	
R1 3/8"	28.36
R2 7/16"	28.10
R3 9/16"	27.85
ROUND EXTENDED SERIES	
R4 1-3/16"	32.78
R5 1-5/16"	32.88
R6 1-11/16"	32.98
R7 2-7/16"	33.08
E Plating Finish	
PN Polished Nickel	Std.
SN Satin Nickel	0.95
PB Polished Brass	0.95
SB Satin Brass	3.35
BL Matte Black	3.35
ST Statuary Bronze	3.35
CF Custom Finish	Call
F Key Retaining	
N No	1.25
Y Yes	Std.

Prices vary according to quantity ordered.

Note: Keys are not included with this lock.
See page K14 to order keys.



All dimensions shown are in the locked position.

S SERIES**T SERIES****ROUND SERIES****ROUND EXTENDED SERIES (Plunger travels 9/16")**

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	K	45	S3	PN	Y

A	Lock Style	
PL	Plunger Lock	
B	Core Type	
K	Keymatic	
C	Housing Style	
45	No Flange	
D	Plunger Type/Length	Price
S SERIES		
S1	3/8"	\$28.29
S2	7/16"	28.08
S3	5/8"	27.88
T SERIES		
T1	1/4"	32.65
T3	9/16"	32.55
ROUND SERIES		
R1	3/8"	28.89
R2	7/16"	28.64
R3	9/16"	28.39
ROUND EXTENDED SERIES		
R4	1-3/16"	33.31
R5	1-5/16"	33.41
R6	1-11/16"	33.51
R7	2-7/16"	33.61
E	Plating Finish	
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F	Key Retaining	
N	No	1.25
Y	Yes	Std.


Prices vary according to quantity ordered.

Note: Keys are not included with this lock.
See page K14 to order keys.




All dimensions shown are in the locked position.


S SERIES




T SERIES



ROUND SERIES



ROUND EXTENDED SERIES (Plunger travels 9/16")



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	K	49	X	PN	Y



A	Lock Style	
	PL Plunger Lock	
B	Core Type	
	K Keymatic	
C	Housing Style	Price
	49 Through the Track Plunger	\$39.95
D	Plunger Type	
	X No Option	
C	Plating Finish	
	PN Polished Nickel	Std.
	SN Satin Nickel	0.95
	PB Polished Brass	0.95
	CF Custom Finish	Call
F	Key Retaining	
	N No	1.25
	Y Yes	Std.

Prices vary according to quantity ordered.

Note: Keys are not included with this lock. See page K14 to order keys.



"Throw" (distance bolt travels from the locked to unlocked position) is 7/16". All dimensions shown are in the locked position.

THROUGH THE TRACK PLUNGER**ISOMETRIC VIEW WITH METAL TRACK**

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	K	50	S3	PN	Y

A Lock Style		
PL	Plunger Lock	
B Core Type		
K	Keymatic	
C Housing Style		
50	Round Flange	
D Plunger Type/Length		Price
S SERIES		
S1	3/8"	\$36.67
S2	7/16"	36.45
S3	5/8"	36.25
T SERIES		
T1	1/4"	43.51
T3	9/16"	43.40
T SERIES		
L3	3/8"	39.95
ROUND SERIES		
R1	3/8"	37.34
R2	7/16"	37.07
R3	9/16"	36.80
ROUND EXTENDED SERIES		
R4	1-3/16"	42.15
R5	1-5/16"	42.26
R6	1-11/16"	42.37
R7	2-7/16"	42.48
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.25
Y	Yes	Std.


Prices vary according to quantity ordered.

Note: Keys are not included with this lock.
See page K14 to order keys.




All dimensions shown are in the locked position.

S SERIES (Parts included same as Round Series)




T SERIES




PARTS INCLUDED	QTY.
(a) DOUGHNUT	2
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	4
(d) PLASTIC SPACER	2
(e) SCREW	8
(f) STRIKE PLATE	1

L SERIES




PARTS INCLUDED	QTY.
(a) DOUGHNUT	1
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	2
(d) PLASTIC SPACER	1
(e) SCREW	4

ROUND SERIES (Plunger travels 9/16")



PARTS INCLUDED	QTY.
(a) DOUGHNUT	1
(c) PLASTIC WASHER	2
(d) PLASTIC SPACER	1
(e) SCREW	4

T SERIES INSTALLATION



Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	K	51	B6	PN	N




A	Lock Style	
PL	Plunger Lock	
B	Core Type	
K	Keymatic	
C	Housing Style	
51	Key Hole Lock	
D	Material Thickness/Plunger	Price
	MATERIAL THICKNESS	PLUNGER LENGTH
	SHORT PLUNGER	
B3	1/4"	3/4" Std. \$32.15
B4	3/8"	5/8" 32.25
	LONG PLUNGER	
B6	1/4"	1-1/2" Std. 31.18
B7	3/8"	1-3/8" 31.27
B8	7/8"	1-1/32" 31.36
E	Plating Finish	
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F	Key Retaining	
N	No	Std.
Y	Yes	0.00

Prices vary according to quantity ordered.

Note: Keys are not included with this lock. See page K14 to order keys.



All dimensions shown are in the locked position.

SHORT PLUNGER**LONG PLUNGER****KEY HOLE LOCK - EXPLODED VIEW**

ZL38 Z Bolt Lock

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
ZL	K	38	Z1	PN	Y

A Lock Style		
ZL	Z Bolt Lock	
B Core Type		
K	Keymatic	
C Housing Style		
38	Sliding Door Dead Bolt	
D Plunger Type/Length		Price
SMALL HOUSING BOLT		
Z1	5/16" Std.	\$25.85
Z2	1/2"	26.16
Z3	13/16"	26.36
LARGE HOUSING BOLT		
Z5	5/16" Std.	35.65
Z6	1/2"	35.98
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.25
Y	Yes	Std.


Prices vary according to quantity ordered.

Note: Keys are not included with this lock. See page K14 to order keys.




All dimensions shown are in the locked position.

SMALL HOUSING



LARGE HOUSING



Item Number



To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
RL	K	60	B1	PN	N

A Lock Style		
RL	Ratchet Lock	
B Core Type		
K	Keymatic	
C Housing Style		
60	Ratchet	
D Bar Type		Price
B1	Standard	\$23.54
B2	Adjustable	28.28
E Plating Finish		
PN	Polished Nickel	Std.
SN	Satin Nickel	0.95
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.

Prices vary according
to quantity ordered.

Note: Keys are not included with this lock.
See page K14 to order keys.

**STANDARD BAR B1****ADJUSTABLE BAR B2**

Keymatic Tubular Keys

Keymatic locks utilize industry standard K137 tubular keys combined with **non-industry standard size cuts**. Standard tubular keys are cut on a machine using a .156 diameter size cutting blade; Kenstan uses a CNC milling machine and .093 size cutter to meet our tight tolerances and avoid cutting the key tip and degrading the key. A typical lock shop may be capable of producing a workable duplicate key, but the Kenstan warranty will be void if our Factory Original keys are not used with our locks. Use of unauthorized duplicates will inevitably cause the lock to become misaligned and possibly suffer irreversible damage.

Kenstan Original Keymatic operating keys and Change Tools can be ordered by referencing the stamp number on the keys. The first two letters represent a manufacturing date code and the next 3 or 4 numbers represent the Keymatic key code. The final dash and number from 1 to 8 represent the setting within the key code for operating keys only. All operating keys starting in late 2003 come standard with a colored key cover representing dash numbers 1 thru 8. The Change Tool does not have the final dash and number; the large red stop sign shaped cover notes the special purpose of changing the Keymatic lock setting only.

If keys have been lost or stolen, you can reference the Keymatic code number stamped on the lock housings, cams or bolts.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D
KEY	K	01	XXXX

A	Item	
KEY	Key	
B	Core Type	
K	Keymatic	
C	Operating Key/Change Tool	Price
01	Orange	\$3.65
02	Blue	3.65
03	Yellow	3.65
04	Green	3.65
05	White	3.65
06	Pink	3.65
07	Purple	3.65
08	Tan	3.65
TOOL	Red Change Tool	5.85
D	Key Code	
XXXX	Specific Up to 4 digits	
A	Any Kenstan assigns	

01 (Orange)



OPERATING KEY # 02 (Blue)



OPERATING KEY # 03 (Yellow)



OPERATING KEY # 04 (Green)



OPERATING KEY # 05 (White)



OPERATING KEY # 06 (Pink)



OPERATING KEY # 07 (Purple)



OPERATING KEY # 08 (Tan)



RED CHANGE TOOL TOOL



Biaxial Pin Line Locks featuring Medeco® Core

		M	D	K	S	V	I	P	E	A
										
Introduction	M 1									
Cam Locks	M 2 M 3									
Drawer/Door Locks	M 4									
Gang Locks	M 5									
Snap Bolt Lock	M 6									
Plunger Locks	M 7 M 8 M 9 M 10 M 11									
Ratchet Locks	M 12									
Core	M 13									
Keys	M 14									



Standard Plating Finish



PN

Polished Nickel

*Special Plating Finishes



PB

Polished Brass



SB

Satin Brass



BL


Matte Black



ST

Statuary Bronze

*Custom Plating Finish



CF

Custom Finish

* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Biaxial Pin Line Locks featuring Medeco® Core

The **M** line offers superior security in a variety of showcase and cabinet locks with thousands of high-security precision cut key combinations. Some **M** line locks are also available in a **Removable Core** version.

Locks can be keyed alike, individually or in groups and can be master or grand master keyed. The unique double-locking mechanism renders our cylinders virtually pick-proof.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **M** line standard plating finish is Polished Nickel housing with a Satin Chrome core.

A wide range of special plating finishes is also available, including Polished Brass, Satin Brass, Statuary Bronze, Matte Black and Custom Finishes to match your showcase hardware.

Please note: Plating lot charges may apply to the special finishes – call for pricing.

Key Control and Resistance to Attack

The security of any locking system depends on two critical factors: physical strength against picking/drilling/forcing and controlling duplication of existing keys. The **M** line has countered these by the following:

- Hardened steel inserts were added to protect the keyway, shear line and sidebar areas.
- Biaxial locks employ offset chisel-pointed pins to make picking virtually impossible.
- **M** line keys must be cut on special key cutting machines that reproduce the angled cuts to match the Biaxial chisel point pins.
- Every **M** line key blank is accounted for and its release controlled by the factory and marked for end-user identification.
- We will process extra key orders only with an authorized signature.

Key Retaining vs. Non-Key Retaining Lock Function

The **M** line standard operation is a key retaining function (captive), which means that the operating key can be removed in the locked position only. Therefore, the lock cannot be accidentally left in the open/unlocked position.

M locks can also be supplied as non-key retaining (non-captive), which allows the key to be removed in both the locked and unlocked position.

Designer note: For true captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of non by-passing sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the secure position.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I	J
CL	H	05	1203	PN	Y	Y	Y	N	106

A Lock Style				
	CL	Cam Lock		
B Core Type			Price	
	M	Medeco® Biaxial	\$ 0.00	
	H	Medeco® Biaxial m³	Std.	
	R	Medeco® Biaxial Removable Core	6.15	
	G	Medeco® Biaxial m³ Removable Core	6.15	
C Housing Length				
		MAXIMUM MATERIAL THICKNESS	BARREL LENGTH	
	02	3/8"	11/16"	32.57
	03	5/8"	7/8"	32.57
	04*	7/8"	1-1/8"	32.57
	05	1-1/4"	1-1/2"	32.57
	10	1-5/8"	1-13/16"	46.27
	11	1-13/16"	2"	46.27
	12	2-1/8"	2-3/8"	46.27
	13	2-1/2"	2-13/16"	49.01
	14	2-11/16"	3"	49.01
	15	3"	3-3/8"	49.01
D Cam Rotation				
		LOCKED	OPEN	
	0312	3	12	
	0306	3	6	
	0309	3	9	
	0612	6	12	
	0603	6	3	
	0609	6	9	
	0912	9	12	
	0903	9	3	
	0906	9	6	
	1203	12	3	
	1206	12	6	
	1209	12	9	
E Plating Finish				
	PN	Polished Nickel w/Satin Chrome Core	Std.	
	PB	Polished Brass	3.35	
	SB	Satin Brass	3.35	
	BL	Matte Black	3.35	
	ST	Statuary Bronze	3.35	
	CF	Custom Finish	Call	
F Key Retaining				
	N*	No	1.50	
	Y	Yes	Std.	
G Keyed Different				
	N	No	Std.	
	Y	Yes	0.45	
H Stamp Lock				
	N	No	Std.	
	Y	Yes	0.45	
I Master Keyed				
	N	No	Std.	
	Y	Yes	2.15	
	G	Grand Master	3.75	

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page M14 to order keys.




Note: All Cam Locks come with a 1-1/4" Straight Cam unless a different cam is chosen.


J Cam Type		Price
STRAIGHT		
101	5/8"	\$ 0.00
102	3/4"	0.00
103	7/8"	0.00
104	1"	0.00
105	1-1/8"	0.00
106	1-1/4"	Std.
107	1-3/8"	0.45
108	1-1/2"	0.45
110	1-3/4"	0.45
112	2"	0.50
116	2-1/2"	0.50
1/8" OFFSET		
303	7/8"	0.60
306	1-1/4"	0.65
308	1-1/2"	0.65
312	2"	0.70
1/4" OFFSET		
403	7/8"	0.60
404	1"	0.65
406	1-1/4"	0.65
408	1-1/2"	0.65
410	1-3/4"	0.65
412	2"	0.70
414	2-1/4"	0.70
3/8" OFFSET		
504	1"	0.65
506	1-1/4"	0.65
508	1-1/2"	0.65
512	2"	0.70
1/2" OFFSET		
606	1-1/4"	0.65
608	1-1/2"	0.65
610	1-3/4"	0.65
612	2"	0.70
5/8" OFFSET		
712	2"	2.00
HOOK		
202	3/4"	0.60
204	1"	0.65
206	1-1/4"	0.65
208	1-1/2"	0.65
210	1-3/4"	0.65
FOR SWITCH KIT		
SL	No Cam*	0.00
CUSTOM CAM		
CL		Call

*Switch option available. See Page A10 to order switch kit.


HOUSING LENGTHS 02 and 03




HOUSING LENGTH 04 and 05



HOUSING LENGTHS **10, 11, 12, 13, 14** and **15**




CAM ROTATIONS (Front of lock shown)




All non-key retaining 90 degree rotations are custom - call Kenstan.
All 180 degree rotations are clockwise, unless specified.

CAM LOCK GLASS INSTALLATION PACKAGE (See Accessories page A8 for prices)




PART	QTY.
(a) METAL WASHER	1
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	2

Cam Type




Note: All cams are reversible.


WOOD INSTALLATION WITH STRAIGHT CAM



METAL INSTALLATION WITH OFFSET CAM



GLASS INSTALLATION WITH HOOK CAM



CALL KENSTAN FOR LOCK ILLUSTRATION.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	H	S	3209	PN	N	Y	Y	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type		Price
M	Medeco® Biaxial	\$ 0.00
H	Medeco® Biaxial m ³	Std.
R	Medeco® Biaxial Removable Core	6.15
G	Medeco® Biaxial m ³ Removable Core	6.15
C Housing Length		
S*	13/16"	41.79
M*	1-1/16"	42.93
L	1-3/16"	44.12
D Bolt Type		
STRAIGHT BOLT		
2001	1-1/16"	Std.
2002	1-11/16"	0.10
2003	2-5/16"	0.20
2004	3-1/8"	0.30
3/8" OFFSET BOLT		
2205	1-5/8"	0.60
DIECAST SPRING BOLT		
3209	1-5/16" Std.	2.03
INVERTED SLIDING SPRING BOLT		
3410	1-5/16" Left	9.97
3411	1-5/16" Right	9.97
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
*Option available only on Straight Bolt and 3/8" Offset Bolt Models.		
N	No	1.50
Y*	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75


Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page M14 to order keys.




"Throw" (distance bolt travels from the locked to unlocked position) is 5/16". All dimensions shown are in the locked position.


STRAIGHT BOLT




3/8" OFFSET BOLT



DIECAST SPRING BOLT (3/16" bolt engagement recommended)



INVERTED SLIDING SPRING BOLT



*Not available in Removable Core.

Item Number





To determine your item number choose the **RED** option code from each section below.

A Lock Style		
GL	Gang Lock	
B Core Type		
M	Medeco® Biaxial	\$ 0.00
H	Medeco® Biaxial m ³	Std.
R	Medeco® Biaxial Removable Core	6.15
G	Medeco® Biaxial m ³ Removable Core	6.15
C Housing Length		
S*	13/16"	40.92
M*	1-1/16"	42.49
L	1-3/16"	43.66
D Mount Style/Bar Length		
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED UP	
	2424	24" 7.75
	2436	36" 9.10
	2448	48" 19.95
	24CL	Custom Call
	24NO	No Bar 1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED UP	
	2624	24" 7.75
	2636	36" 9.10
	2648	48" 19.95
	26CL	Custom Call
	FRONT MOUNT LOCKED DOWN	
	2824	24" 7.75
	2836	36" 9.10
	2848	48" 19.95
	28CL	Custom Call
	28NO	No Bar 1.07
	SIDE MOUNT LOCKED DOWN	
	3024	24" 7.75
	3036	36" 9.10
	3048	48" 19.95
	30CL	Custom Call
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.50
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75


Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page M14 to order keys.

Throw (distance bolt travels from the locked to unlocked position) is 5/16".

FRONT MOUNT – FRONT VIEW**FRONT MOUNT** (Shown with a Gang 3C Kit)**FRONT MOUNT – SIDE VIEW****SIDE MOUNT** (Shown with a Gang 3C Kit)**Gang Lock Packages**

To determine your item number enter the **RED** option code for each section as in the example below.



GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package		
GANG		
B Number of Drawers		Price
2		\$ 6.86
3		9.93
4		13.76
C Pin Length		
A	5/8"	
B	3/4"	
C	1-1/8"	
D	1-7/8"	

*Not available in Removable Core.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F	G	H	I
DL	H	M	36	PN	N	Y	Y	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type		
M	Medeco® Biaxial	\$ 0.00
H	Medeco® Biaxial m³	Std.
R	Medeco® Biaxial Removable Core	6.15
G	Medeco® Biaxial m³ Removable Core	6.15
C Housing Length		
M*	1-1/16"	47.52
L	1-3/16"	49.85
D Bolt Type		
SNAP BOLT		
36	3/4"	Std.
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock. See page M14 to order keys.

*Not available in Removable Core.




All dimensions shown are in the locked position.



SNAP BOLT




STRIKE FRONT VIEW




STRIKE TOP VIEW



STRIKE SIDE VIEW



ISOMETRIC VIEW



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	H	40	S3	PN	Y	Y	Y	N

A Lock Style		
PL	Plunger Lock	
B Core Type		
M	Medeco® Biaxial 1-1/4" Housing Length	\$ 0.00
H	Medeco® Biaxial m ³ 1-1/4" Housing Length	Std.
R	Removable Core 1-5/8" Housing Length	6.15
G	Removable Core m ³ 1-5/8" Housing Length	6.15
C Housing Style		
40	Oval Flange	
D Plunger Type/Length		
S SERIES		
S1	3/8"	43.30
S2	7/16"	43.10
S3	5/8"	42.90
T SERIES		
T1+	1/4"	51.22
T3+	9/16"	51.11
ROUND SERIES		
R1*	3/8"	43.89
R2*	7/16"	43.64
R3*	9/16"	43.40
ROUND EXTENDED SERIES		
R4*	1-3/16"	48.28
R5*	1-5/16"	48.38
R6*	1-11/16"	48.48
R7*	2-7/16"	48.58
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.50
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75



Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock.
See page M14 to order keys.





Patented

All dimensions shown are in the locked position.

S SERIES**T SERIES**

+ Available only in 1-5/8" Housing Length

ROUND SERIES**ROUND EXTENDED SERIES** (Plunger travels 9/16")

*Not available in Removable Core.

PL45 Plunger Lock

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	H	45	S3	PN	Y	Y	Y	N

A Lock Style		
PL	Plunger Lock	
B Core Type		Price
M	Medeco® Biaxial 1-1/4" Housing Length	\$ 0.00
H	Medeco® Biaxial m ³ 1-1/4" Housing Length	Std.
R	Removable Core 1-5/8" Housing Length	6.15
G	Removable Core m ³ 1-5/8" Housing Length	6.15
C Housing Style		
45	No Flange	
D Plunger Type/Length		
S SERIES		
S1	5/16"	43.89
S2	7/16"	43.69
S3	5/8"	43.49
T SERIES		
T1+	1/4"	51.86
T3+	9/16"	51.76
ROUND SERIES		
R1*	5/16"	44.49
R2*	7/16"	44.24
R3*	9/16"	43.99
ROUND EXTENDED SERIES		
R4*	1-3/16"	48.87
R5*	1-5/16"	48.97
R6*	1-11/16"	49.07
R7*	2-7/16"	49.17
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.50
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock. See page M14 to order keys.




Patented

All dimensions shown are in the locked position.

S SERIES




T SERIES




+ Available only in 1-5/8" Housing Length

ROUND SERIES



ROUND EXTENDED SERIES (Plunger travels 9/16")



*Not available in Removable Core.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	H	49	X	PN	Y	Y	Y	N

A Lock Style		
PL	Plunger Lock	
B Core Type		Price
M	Medeco® Biaxial	\$ 0.00
H	Medeco® Biaxial m ³	Std.
C Housing Style		
49	Through the Track Plunger	59.75
D Plunger Type		
X	No Option	
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.50
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock. See page M14 to order keys.




Patented

All dimensions shown are in the locked position.

THROUGH THE TRACK PLUNGER



ISOMETRIC VIEW WITH METAL



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	H	50	S3	PN	Y	Y	Y	N

A Lock Style		
PL	Plunger Lock	
B Core Type		
M	Medeco® Biaxial 1-1/4" Housing Length	\$ 0.00
H	Medeco® Biaxial m ³ 1-1/4" Housing Length	Std.
R	Removable Core 1-5/8" Housing Length	6.15
G	Removable Core m ³ 1-5/8" Housing Length	6.15
C Housing Style		
50	Round Flange	
D Plunger Type/Length		
S SERIES		
S1	3/8"	52.22
S2	7/16"	52.02
S3	5/8"	51.82
T SERIES		
T1+	1/4"	60.14
T3+	9/16"	60.04
L SERIES		
L3+	3/8"	59.20
ROUND SERIES		
R1*	3/8"	52.82
R2*	7/16"	52.57
R3*	9/16"	52.32
ROUND EXTENDED SERIES		
R4*	1-3/16"	57.25
R5*	1-5/16"	57.35
R6*	1-11/16"	57.45
R7*	2-7/16"	57.55
E Plating Finish		
PN	Polished Nickel w/Satin Chrome Core	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.50
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock.
See page M14 to order keys.




Patented

All dimensions shown are in the locked position.

S SERIES (Parts included same as Round Series)




T SERIES



PARTS INCLUDED	QTY.
(a) DOUGHNUT	2
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	4
(d) PLASTIC SPACER	2
(e) SCREW	8
(f) STRIKE PLATE	1

+ Available only in 1-5/8" Housing Length


L SERIES



PARTS INCLUDED	QTY.
(a) DOUGHNUT	1
(b) J BRACKET (anti-rotation)	1
(c) PLASTIC WASHER	2
(d) PLASTIC SPACER	1
(e) SCREW	4


+ Available only in 1-5/8" Housing Length

ROUND SERIES (Plunger travels 9/16")



PARTS INCLUDED	QTY.
(a) DOUGHNUT	1
(c) PLASTIC WASHER	2
(d) PLASTIC SPACER	1
(e) SCREW	4

T SERIES INSTALLATION



*Not available in Removable Core.


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	H	51	B6	PN	N	Y	Y	N

A	Lock Style		
	PL	Plunger Lock	
B	Core Type		Price
	M	Medeco® Biaxial	\$ 0.00
	H	Medeco® Biaxial m ³	Std.
C	Housing Style		
	51	Key Hole Lock	
D	Material Thickness/Plunger		
		MATERIAL THICKNESS	PLUNGER LENGTH
	SHORT PLUNGER		
	B3	1/4"	3/4" Std. 46.39
	B4	3/8"	5/8" 46.48
	LONG PLUNGER		
	B6	1/4"	1-1/2" Std. 45.40
	B7	3/8"	1-3/8" 45.50
	B8	7/8"	1-1/32" 45.59
E	Plating Finish		
	PN	Polished Nickel w/Satin Chrome Core	Std.
	PB	Polished Brass	3.35
	SB	Satin Brass	3.35
	BL	Matte Black	3.35
	ST	Statuary Bronze	3.35
	CF	Custom Finish	Call
F	Key Retaining		
	N	No	Std.
	Y	Yes	0.00
G	Keyed Different		
	N	No	Std.
	Y	Yes	0.45
H	Stamp Lock		
	N	No	Std.
	Y	Yes	0.45
I	Master Keyed		
	N	No	Std.
	Y	Yes	2.15
	G	Grand Master	3.75


Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock.
See page M14 to order keys.




All dimensions shown are in the locked position.


SHORT PLUNGER



LONG PLUNGER



KEY HOLE LOCK - EXPLODED VIEW



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
RL	H	60	B1	PN	N	Y	Y	N


A Lock Style		Price
RL	Ratchet Lock	
B Core Type		Price
M	Medeco® Biaxial	
H	Medeco® Biaxial m ³	Std.
C Housing Style		Price
60	Ratchet	
D Bar Type		Price
B1	Standard	
B2	Adjustable	47.67
E Plating Finish		Price
PN	Polished Nickel w/Satin Chrome Core	
PB	Polished Brass	3.35
CF	Custom Finish	Call
F Key Retaining		Price
N	No	
G Keyed Different		Price
N	No	
Y	Yes	0.45
H Stamp Lock		Price
N	No	
Y	Yes	0.45
I Master Keyed		Price
N	No	
Y	Yes	2.15
G	Grand Master	3.75

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock. See page M14 to order keys.



STANDARD BAR B1



ADJUSTABLE BAR B2




Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
COR	G	4	K	SC	R	Y	Y	N

A Lock Style		
COR	Removable Core	
B Core Type		Price
R	Medeco® Biaxial Removable Core	14.10
G	Medeco® Biaxial m ³ Removable Core	14.10
C Number of Pins		
4	Standard 4 Pin	
D Keyway		
K	Kenstan	Std.
O	Other	Call
E Plating Finish		
SC	Satin Chrome	Std.
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Rotation		
R	Right	
L	Left (For Cam lock only)	
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Core		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75

NOTE: Keys are not included with this Core.
See page M14 to order keys.

**USED ON THE FOLLOWING REMOVABLE CORE LOCK TYPES:**

-CAM LOCKS

-DRAWER/DOOR LOCKS

-GANG LOCKS

-DL36 SNAP BOLT LOCK

-PL40 PLUNGER LOCKS

-PL45 PLUNGER LOCKS

-AND

-PL50 PLUNGER LOCKS

Medeco® Keys

Our Medeco® High Security cabinet lock keys are made from a special nickel silver alloy. Bitted Medeco® keys must be precisely cut to exact depths and angles, and require special duplicating machines. The key blanks are considered restricted, factory controlled and never sold as uncut blanks. Duplicate keys can not be made without the written signature consent and drivers license identification of the Authorized Purchasing Personnel. The patented key programs prevent the unauthorized duplication of keys and maintain system integrity.

Beginning in 2005, the new Medeco3® technology will also be available in the Medeco® cores featured in Kenstan locks. This unique design provides triple locking action, making the locks virtually pick-proof. All Medeco3® keys and locks are protected under patent, trademark and copyright laws. As with our Standard Medeco® Biaxial keys, the Medeco3® keys may only be duplicated by our factory.

Additional Medeco® restricted keys can only be ordered under the original signature authorized users who initiated the keying plan. Kenstan Original Keys can be ordered by referencing the stamp number on the key. Operating keys may be stamped with the key number itself (AA23, AC75 and so on) or may have a stamp number representing a key number (such as a **2** stamp representing AC75). Master keys will have an **M** or **Master** engraved on the key bow. Core Removal keys in our Removable Core (**R**) version will be engraved with **C** or **Control** on the key bow.


If keys have been lost or stolen, we can reference the stamp number on the lock housings, cams or bolts if available.



Biaxial m³ Key Photo shown

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.



A Item		
	KEY	Key
B Core Type		
	M	Medeco® Biaxial
	H	Medeco® Biaxial m³
	R	Medeco® Biaxial Removable Core
	G	Medeco® Biaxial m³ Removable Core
C Key Function		Price
	O	Operating \$4.75
	M	Master 4.75
	G	Grand Master 4.75
	C	Control 4.75 For Removable Core
D Key Code		
	XXXX	Specific Up to 4 digits
	A	Any Kenstan assigns

ASSA® Line of Locks

		S	D	K	M	V	I	P	E	A
										
Introduction	$\frac{S}{1}$									
Cam Locks	$\frac{S}{2}$ $\frac{S}{3}$									
Drawer/Door Locks	$\frac{S}{4}$									
Gang Locks	$\frac{S}{5}$									
Snap Bolt Lock	$\frac{S}{6}$									
Plunger Locks	$\frac{S}{7}$ $\frac{S}{8}$									
Core	$\frac{S}{9}$									
Keys	$\frac{S}{10}$									




Standard Plating Finish



* Special Plating Finishes



* Custom Plating Finish



* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

ASSA® Desmo Line of Locks

The **S** line offers high security in a variety of showcase and cabinet locks with thousands of high-security precision cut key combinations. Some **S** line locks are also available in a **Removable Core** version.

Locks can be keyed alike, individually or in groups and can be master keyed.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **S** line standard plating finish is Polished Chrome.

A wide range of special plating finishes is also available, including Satin Chrome, Polished Brass, Satin Brass, Statuary Bronze, Matte Black and Custom Finishes to match your showcase hardware.

Please note: Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Resistance to Attack and Key Control

Our **S** line showcase and cabinet locks offer direct drive pin technology and are designed to offer a high level of physical security. The cylinder locking mechanism is uniquely designed to offer smooth operation and long life. It is nearly impossible to pick these locks using standard techniques.

We can register your keys and maintain your key plans by store, retail department, showcase/cabinets, or office and we maintain a historical database of key numbers. For security reasons, duplication of **S** keys for locks purchased originally from Kenstan can only be obtained through Kenstan with an authorized signature. Key blanks are never sold.

Key Retaining Lock Function

The **S** line standard operation is a key retaining function (captive), which means that the operating key can be removed in the locked position only. Therefore, the lock cannot be accidentally left in the open/unlocked position.

Non-Key Retaining Lock Function

Some **S** Cam locks can also be supplied as non-key retaining (non-captive), which allows the key to be removed in both the locked and unlocked position.

Designer note: For **true** captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of **non by-passing** sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the **secure** position.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I	J
CL	S	04	1203	PC	Y	Y	Y	N	106

A Lock Style		Cam Lock		
	CL			
B Core Type		Price		
	S	ASSA® Desmo	Std.	
New	J	ASSA® Desmo Removable Core	\$8.07	
C Housing Length				
		MAXIMUM MATERIAL THICKNESS	BARREL LENGTH	
	02	9/32"	5/8"	35.53
	03**	1/2"	7/8"	35.70
	04	3/4"	1-1/8"	35.88
	10**	1-3/8"	1-3/4"	49.41
	11	1-9/16"	2"	49.59
	13**	2-1/4"	2-3/4"	52.15
	14	2-7/16"	3"	52.32
D Cam Rotation				
		LOCKED	OPEN	
	0312	3	12	
	0306	3	6	
	0309	3	9	
	0612	6	12	
	0603	6	3	
	0609	6	9	
	0912	9	12	
	0903	9	3	
	0906	9	6	
	1203	12	3	
	1206	12	6	
	1209	12	9	
E Plating Finish				
	PC	Polished Chrome	Std.	
	SC	Satin Chrome	2.95	
	PB	Polished Brass	3.35	
	SB	Satin Brass	3.35	
	BL	Matte Black	3.35	
	ST	Statuary Bronze	3.35	
	CF	Custom Finish	Call	
F Key Retaining				
	N	No	1.50	
	Y	Yes	Std.	
G Keyed Different				
	N	No	Std.	
	Y	Yes	0.45	
H Stamp Lock				
	N	No	Std.	
	Y	Yes	0.45	
I Master Keyed				
	N	No	Std.	
	Y	Yes	2.15	

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page S10 to order keys.

*Not available in Removable Core.

*Available in Key Retaining only.

Note: When the non key retaining function is chosen in conjunction with a 90 degree cam rotation, the key will be inserted at a 45 degree angle.




Note: All Cam Locks come with a 1-1/4" Straight Cam unless a different cam is chosen.


J Cam Type	Price
STRAIGHT	
101 5/8"	\$ 0.00
102 3/4"	0.00
103 7/8"	0.00
104 1"	0.00
105 1-1/8"	0.00
106 1-1/4"	Std.
107 1-3/8"	0.45
108 1-1/2"	0.45
110 1-3/4"	0.45
112 2"	0.50
116 2-1/2"	0.50
1/8" OFFSET	
303 7/8"	0.60
306 1-1/4"	0.65
308 1-1/2"	0.65
312 2"	0.70
1/4" OFFSET	
403 7/8"	0.60
404 1"	0.65
406 1-1/4"	0.65
408 1-1/2"	0.65
410 1-3/4"	0.65
412 2"	0.70
414 2-1/4"	0.70
3/8" OFFSET	
504 1"	0.65
506 1-1/4"	0.65
508 1-1/2"	0.65
512 2"	0.70
1/2" OFFSET	
606 1-1/4"	0.65
608 1-1/2"	0.65
610 1-3/4"	0.65
612 2"	0.70
5/8" OFFSET	
712 2"	2.00
HOOK	
202 3/4"	0.60
204 1"	0.65
206 1-1/4"	0.65
208 1-1/2"	0.65
210 1-3/4"	0.65
FOR SWITCH KIT	
SL No Cam*	0.00
CUSTOM CAM	
CL	Call

*Switch option available. See Page A10 to order switch kit.


HOUSING LENGTHS 02, 03 and 04



HOUSING LENGTHS 10, 11, 13 and 14




CAM ROTATIONS (Front of lock shown)




All 180 degree rotations are clockwise, unless specified.

CAM LOCK GLASS INSTALLATION PACKAGE (See Accessories page A8 for prices)



Cam Type




Straight Cam

Offset Cam


Hook Cam

Note: All cams are reversible.


WOOD INSTALLATION WITH STRAIGHT CAM



METAL INSTALLATION WITH OFFSET CAM



GLASS INSTALLATION WITH HOOK CAM



CALL KENSTAN FOR LOCK ILLUSTRATION.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	S	M	2002	PC	Y	Y	Y	N

A Lock Style		
	DL	Drawer/Door Lock
B Core Type		
	S	ASSA® Desmo
New	J	ASSA® Desmo Removable Core
C Housing Length		
	M*	15/16"
	L	1-7/16"
D Bolt Type		
STRAIGHT BOLT		
	2001	1-1/8"
	2002	1-3/4"
	2003	2-3/8"
	2004	3-3/16"
3/8" OFFSET BOLT		
	2205	1-11/16"
DIECAST SPRING BOLT		
	3209	1-3/8" Std.
SLIDING SPRING BOLT		
	3410	1-3/8" Left
	3411	1-3/8" Right
E Plating Finish		
	PC	Polished Chrome
	SC	Satin Chrome
	PB	Polished Brass
	SB	Satin Brass
	BL	Matte Black
	ST	Statuary Bronze
	CF	Custom Finish
F Key Retaining		
*Option available only on Spring Bolt models.		
	N*	No
	Y	Yes
G Keyed Different		
	N	No
	Y	Yes
H Stamp Lock		
	N	No
	Y	Yes
I Master Keyed		
	N	No
	Y*	Yes

Prices vary according to quantity ordered.



NOTE: Keys are not included with this lock.
See page S10 to order keys.





Pat. Pending

"Throw" (distance bolt travels from the locked to unlocked position) is 7/16".
All dimensions shown are in the locked position.



STRAIGHT BOLT





3/8" OFFSET BOLT



DIECAST SPRING BOLT (3/16" bolt engagement recommended)



SLIDING SPRING BOLT



*For Master Keyed Core Type S locks, the Head Thickness is 5/8".

*Not available in Removable Core.

Item Number

To determine your item number choose the **RED** option code from each section below.

A Lock Style		
GL	Gang Lock	
B Core Type		Price
S	ASSA® Desmo	Std.
<i>New</i> J	ASSA® Desmo Removable Core	\$8.07
C Housing Length		
M*	15/16"	49.73
L	1-7/16"	50.01
D Mount Style/Bar Length		
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED UP	
	2424 24"	7.75
	2436 36"	9.10
	2448 48"	19.95
	24CL Custom	Call
	24NO No Bar	1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED UP	
	2624 24"	7.75
	2636 36"	9.10
	2648 48"	19.95
	26CL Custom	Call
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED DOWN	
	2824 24"	7.75
	2836 36"	9.10
	2848 48"	19.95
	28CL Custom	Call
	28NO No Bar	1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED DOWN	
	3024 24"	7.75
	3036 36"	9.10
	3048 48"	19.95
	30CL Custom	Call
E Plating Finish		
PC	Polished Chrome	Std.
SC	Satin Chrome	2.95
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y*	Yes	2.15


*For Master Keyed Core Type **S** locks, the Head Thickness is 5/8".

*Not available in Removable Core.




Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page S10 to order keys.


Throw (distance bolt travels from the locked to unlocked position) is 7/16".

FRONT MOUNT - FRONT VIEW**FRONT MOUNT** (Shown with a Gang 3C Kit)

Pat. Pending

FRONT MOUNT - SIDE VIEW**SIDE MOUNT** (Shown with a Gang 3C Kit)**Gang Lock Packages**

To determine your item number enter the **RED** option code for each section as in the example below.



GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package		
GANG		
B Number of Drawers		Price
2		\$ 6.86
3		9.93
4		13.76
C Pin Length		
A	5/8"	
B	3/4"	
C	1-1/8"	
D	1-7/8"	

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	S	M	36	PC	N	Y	Y	N

A	Lock Style		
	DL	Drawer/Door Lock	
B	Core Type		Price
	S	ASSA® Desmo	Std.
<i>New</i>	J	ASSA® Desmo Removable Core	\$8.07
C	Housing Length		
	M*	15/16"	55.75
	L	1-7/16"	56.93
D	Bolt Type		
	SNAP BOLT		
	36	3/4"	Std.
E	Plating Finish		
	PC	Polished Chrome	Std.
	SC	Satin Chrome	2.95
	PB	Polished Brass	3.35
	SB	Satin Brass	3.35
	BL	Matte Black	3.35
	ST	Statuary Bronze	3.35
	CF	Custom Finish	Call
F	Key Retaining		
	N	No	Std.
G	Keyed Different		
	N	No	Std.
	Y	Yes	0.45
H	Stamp Lock		
	N	No	Std.
	Y	Yes	0.45
I	Master Keyed		
	N	No	Std.
	Y*	Yes	2.15

Prices vary according to quantity ordered.



NOTE: Keys are not included with this lock. See page S10 to order keys.




Pat. Pending

All dimensions shown are in the locked position.


SNAP BOLT




STRIKE FRONT VIEW




STRIKE SIDE VIEW



STRIKE TOP VIEW



ISOMETRIC VIEW



*For Master Keyed Core Type S locks, the Head Thickness is 5/8".

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	S	40	S3	PC	Y	Y	Y	N

A	Lock Style		
	PL	Plunger Lock	
B	Core Type		Price
	S	ASSA® Desmo 1-1/4" Housing Length	Std.
<i>New</i>	J	Removable Core 1-3/4" Housing Length	\$8.07
C	Housing Style		
	40	Oval Flange	
D	Plunger Type/Length		
	S SERIES		
	S1	3/8"	49.74
	S2	7/16"	49.64
	S3	5/8"	49.55
E	Plating Finish		
	PC	Polished Chrome	Std.
	SC	Satin Chrome	2.95
	PB	Polished Brass	3.35
	SB	Satin Brass	3.35
	BL	Matte Black	3.35
	ST	Statuary Bronze	3.35
	CF	Custom Finish	Call
F	Key Retaining		
	N	No	Std.
	Y	Yes	1.50
G	Keyed Different		
	N	No	Std.
	Y	Yes	0.45
H	Stamp Lock		
	N	No	Std.
	Y	Yes	0.45
I	Master Keyed		
	N	No	Std.
	Y*	Yes	2.15

Prices vary according to quantity ordered.



NOTE: Keys are not included with this lock. See page S10 to order keys.

*For Master Keyed Core Type **S** locks, the Head Thickness is 5/8".



Pat. Pending

All dimensions shown are in the locked position.

S SERIES

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	S	50	S3	PC	Y	Y	Y	N

A	Lock Style		
	PL	Plunger Lock	
B	Core Type		Price
	S	ASSA® <i>Desmo</i> 1-1/4" Housing Length	Std.
<i>New</i>	J	Removable Core 1-3/4" Housing Length	\$8.07
C	Housing Style		
	50	Round Flange	
D	Plunger Type/Length		
	S SERIES		
	S1	3/8"	58.65
	S2	7/16"	58.55
	S3	5/8"	58.45
E	Plating Finish		
	PC	Polished Chrome	Std.
	SC	Satin Chrome	2.95
	PB	Polished Brass	3.35
	SB	Satin Brass	3.35
	BL	Matte Black	3.35
	ST	Statuary Bronze	3.35
	CF	Custom Finish	Call
F	Key Retaining		
	N	No	1.50
	Y	Yes	Std.
G	Keyed Different		
	N	No	Std.
	Y	Yes	0.45
H	Stamp Lock		
	N	No	Std.
	Y	Yes	0.45
I	Master Keyed		
	N	No	Std.
	Y*	Yes	2.15


*For Master Keyed Core Type S locks, the Head Thickness is 5/8".




Pat. Pending

All dimensions shown are in the locked position.

S SERIES (Parts included same as Round Series)



PLS50 INSTALLATION



PARTS INCLUDED	QTY.
a DOUGHNUT	1
c PLASTIC WASHER	2
d PLASTIC SPACER	1
e SCREW	4

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
COR	J	8	X	PC	Y	Y	Y	N

A Lock Style		
COR	Plunger Lock	
B Core Type		Price
J	Removable Core	\$15.10
C Number of Pins		
8	Standard 8 Pin	
D Keyway		
X	No Option	
E Plating Finish		
PC	Polished Chrome	Std.
SC	Satin Chrome	2.95
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
X	No Option (Function of the Lock)	
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15

NOTE: Keys are not included with Core.
See page S10 to order keys.

New



USED ON THE FOLLOWING REMOVABLE CORE LOCK TYPES:

-CAM LOCKS

-DRAWER/DOOR LOCKS

-GANG LOCKS

-DL36 SNAP BOLT LOCK

-PL40 PLUNGER LOCKS

-AND

-PL50 PLUNGER LOCKS

ASSA® Desmo Keys

Our ASSA® Desmo High Security cabinet lock keys are made from nickel-silver for long life; there are no deep cut to weaken the key. ASSA® Desmo keys must be precisely cut to exact depths and angles, and require special duplicating machines. The key blanks are considered restricted, factory controlled and never sold as uncut blanks.

Duplicate keys can not be made without the written signature consent and drivers license identification of the Authorized Purchasing Personnel. The patented key programs prevent the unauthorized duplication of keys and maintain system integrity.


Additional ASSA® Desmo restricted keys can only be ordered under the signature of the authorized user.

Original Keys can be ordered by referencing the stamp number on the key.

If keys have been lost or stolen, we can reference the stamp number on the lock housings, cams or bolts if available.

**Item Number**


To determine your item number enter the **RED** option code for each section as in the example below.



A	Item	
	KEY Key	
B	Core Type	
	S ASSA® Desmo	
	<i>New</i> J ASSA® Desmo	
		Removable Core
C	Key Function	Price
	O Operating	\$6.35
	M Master	6.35
	C Control	6.35
		For Removable Core
D	Key Code	
	XXXXX Specific	
		Up to 5 digits
	A Any	
		Kenstan assigns

ABLOY® Line of Locks



Introduction	$\frac{V}{1}$					
Cam Locks	$\frac{V}{2}$ $\frac{V}{3}$					
Drawer/Door Locks	$\frac{V}{4}$					
Gang Locks	$\frac{V}{5}$					
Snap Bolt Lock	$\frac{V}{6}$					
Plunger Locks	$\frac{V}{7}$ $\frac{V}{8}$					
Keys	$\frac{V}{9}$					



Standard Plating Finish



PC

Polished Chrome

*Special Plating Finishes



SC

Satin Chrome



PB

Polished Brass



SB

Satin Brass



BL


Matte Black



ST

Statuary Bronze

*Custom Plating Finish



CF

Custom Finish

* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

ABLOY® EXEC Line of Locks

The **V** line offers high security in a variety of showcase and cabinet locks with thousands of high-security precision cut key combinations.

Locks can be keyed alike, individually or in groups and can be master, grand master or great grand master keyed.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **V** line standard plating finish is Polished Chrome.

A wide range of special plating finishes is also available, including Satin Chrome, Polished Brass, Satin Brass, Statuary Bronze, Matte Black and Custom Finishes to match your showcase hardware.

Please note: Plating lot charges may apply to the special finishes – call for pricing.

Resistance to Attack and Key Control

Our **V** line showcase and cabinet locks offer rotating disc technology and are designed to offer a high level of physical security. The disc-style locking mechanism is designed without springs, assuring long life and smooth operation. It is nearly impossible to pick these locks using standard techniques.

We can register your keys and maintain your key plans by store, retail department, showcase/cabinets, or office and we maintain a historical database of key numbers. For security reasons, duplication of **V** keys for locks purchased originally from Kenstan can only be obtained through Kenstan with an authorized signature. Key blanks are never sold.

Key Retaining Lock Function

The **V** line standard operation is a key retaining function (captive), which means that the operating key can be removed in the locked position only; therefore, the lock cannot be accidentally left in the open/unlocked position.

Please Note: Our **V** line of locks have a 90 degrees “lost motion” operation. The key is inserted and turned 90 degrees (key verification process) before the lock can begin to open.

Designer Note: For true captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of non by-passing sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the secure position.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I	J
CL	V	04	1203	PC	Y	Y	Y	N	106

<div>A</div> <div>Lock Style</div> <div>CL</div> <div>Cam Lock</div>				
<div>B</div> <div>Core Type</div> <div>V</div> <div>ABLOY® EXEC</div>				
<div>C</div> <div>Housing Length</div> <div></div> <div>MAXIMUM MATERIAL THICKNESS</div> <div>BARREL LENGTH</div>			<div>Price</div>	
	03	1/2"	7/8"	\$34.76
	04*	3/4"	1-1/8"	34.76
	10	1-3/8"	1-3/4"	48.47
	11	1-9/16"	2"	47.54
	13	2-1/4"	2-3/4"	51.21
	14	2-7/16"	3"	51.21
<div>D</div> <div>Cam Rotation</div> <div></div> <div>LOCKED</div> <div>OPEN</div>				
	0312*	3	12	
	0306	3	6	
	0309	3	9	
	0612	6	12	
	0603*	6	3	
	0609	6	9	
	0912	9	12	
	0903	9	3	
	0906	9	6	
	1203*	12	3	
	1206	12	6	
	1209*	12	9	
<div>E</div> <div>Plating Finish</div> <div></div> <div>PC</div> <div>SC</div> <div>PB</div> <div>SB</div> <div>BL</div> <div>ST</div> <div>CF</div>			<div>Polished Chrome</div> <div>Satin Chrome</div> <div>Polished Brass</div> <div>Satin Brass</div> <div>Matte Black</div> <div>Statuary Bronze</div> <div>Custom Finish</div>	<div>Std.</div> <div>2.95</div> <div>3.35</div> <div>3.35</div> <div>3.35</div> <div>3.35</div> <div>Call</div>
<div>F</div> <div>Key Retaining</div> <div>Y</div> <div>Yes</div>			<div>Std.</div>	
<div>G</div> <div>Keyed Different</div> <div>N</div> <div>Y</div>			<div>Std.</div> <div>0.45</div>	
<div>H</div> <div>Stamp Lock</div> <div>N</div> <div>Y</div>			<div>Std.</div> <div>0.45</div>	
<div>I</div> <div>Master Keyed</div> <div>N</div> <div>Y</div> <div>G</div> <div>GA</div>			<div>Std.</div> <div>2.15</div> <div>3.75</div> <div>4.75</div>	

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page V9 to order keys.




All Cam Locks come with a 1-1/4" Straight Cam unless a different cam is chosen.


J Cam Type	Price
STRAIGHT	
101 5/8"	\$ 0.00
102 3/4"	0.00
103 7/8"	0.00
104 1"	0.00
105 1-1/8"	0.00
106 1-1/4"	Std.
107 1-3/8"	0.45
108 1-1/2"	0.45
110 1-3/4"	0.45
112 2"	0.50
116 2-1/2"	0.50
1/8" OFFSET	
303 7/8"	0.60
306 1-1/4"	0.65
308 1-1/2"	0.65
312 2"	0.70
1/4" OFFSET	
403 7/8"	0.60
404 1"	0.65
406 1-1/4"	0.65
408 1-1/2"	0.65
410 1-3/4"	0.65
412 2"	0.70
414 2-1/4"	0.70
3/8" OFFSET	
504 1"	0.65
506 1-1/4"	0.65
508 1-1/2"	0.65
512 2"	0.70
1/2" OFFSET	
606 1-1/4"	0.65
608 1-1/2"	0.65
610 1-3/4"	0.65
612 2"	0.70
5/8" OFFSET	
712 2"	2.00
HOOK	
202 3/4"	0.60
204 1"	0.65
206 1-1/4"	0.65
208 1-1/2"	0.65
210 1-3/4"	0.65
FOR SWITCH KIT	
SL No Cam*	0.00
CUSTOM CAM	
CL	Call

*Switch option available. See Page A10 to order switch kit.


HOUSING LENGTHS 03 and 04



HOUSING LENGTHS 10, 11, 13 and 14




CAM ROTATIONS (Front of lock shown)




Call Kenstan for counter clockwise rotations.

CAM LOCK GLASS INSTALLATION PACKAGE (See Accessories page A8 for prices)




Cam Type




Note: All cams are reversible.


WOOD INSTALLATION WITH STRAIGHT CAM



METAL INSTALLATION WITH OFFSET CAM



GLASS INSTALLATION WITH HOOK CAM



CALL KENSTAN FOR LOCK ILLUSTRATION.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	V	L	3209	PC	Y	Y	Y	N

<div>A</div> Lock Style		
DL	Drawer/Door Lock	
<div>B</div> Core Type		
V	ABLOY® EXEC	
<div>C</div> Housing Length		Price
L	1-3/16"	\$50.02
<div>D</div> Bolt Type		
STRAIGHT BOLT		
2001	1-1/8"	Std.
2002	1-3/4"	0.10
2003	2-3/8"	0.20
2004	3-3/16"	0.30
3/8" OFFSET BOLT		
2205	1-11/16"	0.60
DIECAST SPRING BOLT		
3209	1-3/8" Std.	2.03
INVERTED SLIDING SPRING BOLT		
3410	1-3/8" Left	9.97
3411	1-3/8" Right	9.97
<div>E</div> Plating Finish		
PC	Polished Chrome	Std.
SC	Satin Chrome	2.95
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
<div>F</div> Key Retaining		
*Option available only on Spring Bolt models.		
N*	No	0.00
Y	Yes	Std.
<div>G</div> Keyed Different		
N	No	Std.
Y	Yes	0.45
<div>H</div> Stamp Lock		
N	No	Std.
Y	Yes	0.45
<div>I</div> Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75
GA	Great Grand Master	4.75



Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock.
See page V9 to order keys.



Pat. Pending

"Throw" (distance bolt travels from the locked to unlocked position) is 7/16".
All dimensions shown are in the locked position.



STRAIGHT BOLT





3/8" OFFSET BOLT



DIECAST SPRING BOLT (3/16" bolt engagement recommended)



INVERTED SLIDING SPRING BOLT



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F	G	H	I
GL	V	L	2424	PC	Y	Y	Y	N

A Lock Style		
GL	Gang Lock	
B Core Type		
V	ABLOY® EXEC	
C Housing Length		Price
L	1-3/16"	\$49.57
D Mount Style/Bar Length		
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED UP	
	2424 24"	7.75
	2436 36"	9.10
	2448 48"	19.95
	24CL Custom	Call
	24NO No Bar	1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED UP	
	2624 24"	7.75
	2636 36"	9.10
	2648 48"	19.95
	26CL Custom	Call
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED DOWN	
	2824 24"	7.75
	2836 36"	9.10
	2848 48"	19.95
	28CL Custom	Call
	28NO No Bar	1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED DOWN	
	3024 24"	7.75
	3036 36"	9.10
	3048 48"	19.95
	30CL Custom	Call
E Plating Finish		
PC	Polished Chrome	Std.
SC	Satin Chrome	2.95
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75
GA	Great Grand Master	4.75




Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page V9 to order keys.

Throw (distance bolt travels from the locked to unlocked position) is 7/16".

FRONT MOUNT - FRONT VIEW**FRONT MOUNT** (Shown with a Gang 3C Kit)

Pat. Pending

FRONT MOUNT - SIDE VIEW**SIDE MOUNT** (Shown with a Gang 3C Kit)**Gang Lock Packages**

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C
GANG	3	C

GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package		
GANG		
B Number of Drawers		Price
2		\$ 6.86
3		9.93
4		13.76
C Pin Length		
A	5/8"	
B	3/4"	
C	1-1/8"	
D	1-7/8"	

DL36 Snap Bolt Lock

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	V	L	36	PC	N	Y	Y	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type		
V	ABLOY® EXEC	
C Housing Length		
L	1-3/16"	
D Bolt Type		Price
SNAP BOLT		
36	3/4"	\$55.67
E Plating Finish		
PC	Polished Chrome	Std.
SC	Satin Chrome	2.95
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75
GA	Great Grand Master	4.75

Prices vary according to quantity ordered.


NOTE: Keys are not included with this lock. See page V9 to order keys.




Pat. Pending

All dimensions shown are in the locked position.



SNAP BOLT




STRIKE FRONT VIEW




STRIKE TOP VIEW



STRIKE SIDE VIEW



ISOMETRIC VIEW



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	V	40	R2	PC	Y	Y	Y	N



A	Lock Style		
	PL	Plunger Lock	
B	Core Type		
	V	ABLOY® EXEC	
C	Housing Style		
	40	Oval Flange	
D	Plunger Type/Length		Price
	ROUND SERIES		
	R2	1/2"	\$59.41
	CL	Custom Length	Call
E	Plating Finish		
	PC	Polished Chrome	Std.
	SC	Satin Chrome	2.95
	PB	Polished Brass	3.35
	SB	Satin Brass	3.35
	BL	Matte Black	3.35
	ST	Statuary Bronze	3.35
	CF	Custom Finish	Call
F	Key Retaining		
	Y	Yes	Std.
G	Keyed Different		
	N	No	Std.
	Y	Yes	0.45
H	Stamp Lock		
	N	No	Std.
	Y	Yes	0.45
I	Master Keyed		
	N	No	Std.
	Y	Yes	2.15
	G	Grand Master	3.75
	GA	Great Grand Master	4.75

Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page V9 to order keys.



All dimensions shown are in the locked position.

ROUND SERIES

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	V	50	R2	PC	Y	Y	Y	N

A Lock Style		
PL	Plunger Lock	
B Core Type		
V	ABLOY® EXEC	
C Housing Style		
50	Round Flange	
D Plunger Type/Length		Price
ROUND SERIES		
R2	1/2"	\$68.31
CL	Custom Length	Call
E Plating Finish		
PC	Polished Chrome	Std.
SC	Satin Chrome	2.95
PB	Polished Brass	3.35
SB	Satin Brass	3.35
BL	Matte Black	3.35
ST	Statuary Bronze	3.35
CF	Custom Finish	Call
F Key Retaining		
Y	Yes	Std.
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	2.15
G	Grand Master	3.75
GA	Great Grand Master	4.75


Prices vary according to quantity ordered.

NOTE: Keys are not included with this lock. See page V9 to order keys.




All dimensions shown are in the locked position.

ROUND SERIES



PLV50 INSTALLATION



PARTS INCLUDED	QTY.
(a) DOUGHNUT RING	1
(b) GASKET	2
(c) SCREW	3
(d) COVER PLATE	1

ABLOY® EXEC Keys

Our ABLOY® EXEC High Security cabinet lock keys are made from nickel-silver and have a heavyduty polymer key bow. ABLOY® EXEC keys must be precisely cut to exact depths and angles, and require special duplicating machines. The key blanks are considered restricted, factory controlled and never sold as uncut blanks. Duplicate keys can not be made without the written signature consent and drivers license identification of the Authorized Purchasing Personnel. The patented key programs prevent the unauthorized duplication of keys and maintain system integrity.

Additional ABLOY® EXEC restricted keys can only be ordered under the original signature authorized users who initiated the keying plan.


Kenstan Original Keys can be ordered by referencing the stamp number on the key.

If keys have been lost or stolen, we can reference the stamp number on the lock housings, cams or bolts if available.



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.




A	Item	
	KEY Key	
B	Core Type	
	V ABLOY® EXEC	
C	Key Function	Price
	O Operating	\$5.35
	M Master	5.35
	G Grand Master	5.35
	GA Great Grand Master	5.35
D	Key Code	
	XXXXX Specific Up to 5 digits	
	A Any Kenstan assigns	

Interchangeable Core Line of Locks

		I	D	K	M	S	V	P	E	A
										
Introduction	$\frac{I}{1}$									
Cam Locks	$\frac{I}{2}$ $\frac{I}{3}$ $\frac{I}{4}$									
Drawer/Door Locks	$\frac{I}{5}$ $\frac{I}{6}$ $\frac{I}{7}$									
Gang Locks	$\frac{I}{8}$									
Snap Bolt Lock	$\frac{I}{9}$									
Plunger Locks	$\frac{I}{10}$ $\frac{I}{11}$									
Ratchet Lock	$\frac{I}{12}$									
Cores	$\frac{I}{13}$									
Keys	$\frac{I}{14}$									



Standard Plating Finish*** Special Plating Finishes***** Custom Plating Finish**

* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Interchangeable Core Line of Locks

Our **I** line offers excellent security in a variety of showcase locks and door hardware applications by using thousands of 6 and 7 Pin Tumbler key combinations.

Cores can be keyed alike, individually or in groups and can be master keyed in up to four levels for greater flexibility. Kenstan housings and cores are equivalent to Best Access locks and are therefore interchangeable among both company products.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **I** line standard plating finish for housings and cores is Brushed Chrome.

A wide range of special plating finishes is also available, including Polished Chrome, Polished Brass, Matte Black, Statuary Bronze, Satin Brass and Custom Finishes to match your showcase hardware.

Please Note: Plating lot charges may apply to the special plating finishes – call for pricing.

Handing

Handing means the orientation of the key relative to the bolt movement. We can almost always orient the lock so the key is inserted vertically.

- **Right Handing** means the door hinges on the right side and locks on the left.
- **Left Handing** means the door hinges on the left side and locks on the right.
- **Vertical Handing** means the drawer is locked at the top.
- **Inverted Handing** means the drawer is locked at the bottom.

Key Control

Kenstan can register your keys and maintain your key plans by store, retail department, showcase/cabinets, or office and we maintain a historical database of key numbers. Keys should be secured when not in use.

Key Retaining vs. Non-Key Retaining Lock Function

The **I** line standard operation is a non-key retaining function (non-captive). The operating key can be removed in both the locked and unlocked position.

For higher security, we recommend the key retaining (captive) function, which ensures that the key can be removed only in the locked position and prevents the lock from being accidentally left in the open or unlocked position.

Designer note: For true captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of non by-passing sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the secure position.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H
CL	I	06	1203	BC	Y	W	112

A Lock Style			Price	
CL	Cam Lock			
B Core Type*			Price	
I	I.C. Core			
C Housing Length			Price	
	MAXIMUM MATERIAL THICKNESS	BARREL LENGTH		
06	1-3/16"	1-5/8"	\$20.96	
D Cam Rotation				
	LOCKED	OPEN		
0312	3	12		
0306	3	6		
0309	3	9		
0612	6	12		
0603	6	3		
0609	6	9		
0912	9	12		
0903	9	3		
0906	9	6		
1203	12	3		
1206	12	6		
1209	12	9		
E Plating Finish				
BC	Brushed Chrome	Std.		
PC	Polished Chrome	0.00		
PB	Polished Brass	0.95		
SB	Satin Brass	3.35		
BL	Matte Black	3.35		
CF	Custom Finish	Call		
F Key Retaining				
N	No	Std.		
Y	Yes	0.00		
G Material Installation				
W	Wood	Std.		
M	Metal	0.00		
G	Glass	Call		
H Cam Type				
STRAIGHT				
112	2" (AI06CAM112)			Std.
3/8" OFFSET				
511	1-7/8" (AI06CAM511)			0.00
CUSTOM CAM				
CL			Call	


This Lock comes with a 2" Straight Cam unless a different Cam is chosen.

*Cores are not included with this lock.
See page I13 to order cores.


New



HOUSING LENGTH 06




CAM ROTATION (Front of lock shown)



*All 180 degree rotations are clockwise, unless specified.





CAM TYPE



Straight Cam

Offset Cam

Note: All cams are reversible.

WOOD INSTALLATION**METAL INSTALLATION** (A double "D" shape hole is required)**GLASS INSTALLATION****I.C. CORE CAM LOCK GLASS INSTALLATION PACKAGE** (See Accessories page A9 to order)

PART	QTY.
a L BRACKET (anti-rotation)	1
b PLASTIC WASHER	2

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F	G
CL	I	05	1203	BC	Y	W

A Lock Style			
CL	Cam Lock		
B Core Type*			
I	I.C. Core		
C Housing Length			Price
	MAXIMUM MATERIAL THICKNESS	BARREL LENGTH	
05	1-3/16"	1-1/4"	\$20.96
D Cam Rotation			
	LOCKED	OPEN	
0312	3	12	
0306	3	6	
0603	6	3	
0609	6	9	
0912	9	12	
0906	9	6	
1203	12	3	
1209	12	9	
E Plating Finish			
BC	Brushed Chrome	Std.	
PC	Polished Chrome	0.00	
PB	Polished Brass	0.95	
SB	Satin Brass	3.35	
BL	Matte Black	3.35	
CF	Custom Finish	Call	
F Key Retaining			
N	No	Std.	
Y	Yes	0.00	
G Material Installation			
W	Wood	Std.	
M	Metal	0.00	
G	Glass	Call	


Prices vary according to quantity ordered.



HOUSING LENGTH 05



LOCK PARTS



*Cores are not included with this lock.
See page I13 to order cores.

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
DL	I	25	RV	BC	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type*		
I	I.C. Core	
C Bolt Type		Price
25	Straight Dead Bolt	\$23.49
D Housing Style		
RIM SERIES		
RR	Right	
RL	Left	
RI	Inverted	
RV	Vertical	
E Plating Finish		
BC	Brushed Chrome	Std.
PC	Polished Chrome	0.00
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	6.75



Prices vary according to quantity ordered.

*Cores are not included with this lock.
See page I13 to order cores.

LOCK PARTS

"Throw" (distance bolt travels from the locked to unlocked position) is 23/32".

All dimensions shown are in the locked position.

VERTICAL**INVERTED****RIGHT****LEFT**

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F
DL	I	20	RV	BC	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type*		
I	I.C. Core	
C Bolt Type		Price
20	Straight Dead Bolt	\$21.39
32	Spring	21.39
33	Reverse Spring	21.39
D Housing Style		
RIM SERIES		
RR	Right	
RL	Left	
RI	Inverted	
RV	Vertical	
MORTISE SERIES		
MR	Right	
ML	Left	
MI	Inverted	
MV	Vertical	
E Plating Finish		
BC	Brushed Chrome	Std.
PC	Polished Chrome	0.00
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
CF	Custom Finish	Call
F Key Retaining		
*Option available only on Straight Dead Bolt model.		
N	No	Std.
Y*	Yes	0.00


Prices vary according to quantity ordered.




"Throw" (distance bolt travels from the locked to unlocked position) is 1/2".
All dimensions shown are in the locked position.

RIM MOUNT VERTICAL DEAD BOLT


PARTS INCLUDED	QTY.
RIM DEAD BOLT STRIKE	1
#4 x 5/8" LG. SCREW	2
#8 x 1/2" LG. SCREW	2
6 PIN SPACER	1

RIM MOUNT INVERTED SPRING BOLT


PARTS INCLUDED	QTY.
RIM SPRING BOLT STRIKE	1
#4 x 5/8" LG. SCREW	2
#8 x 1/2" LG. SCREW	2
6 PIN SPACER	1

MORTISE MOUNT RIGHT SPRING BOLT

PARTS INCLUDED	QTY.
MORTISE SPRING BOLT STRIKE	1
#4 x 5/8" LG. SCREW	2
#8 x 1/2" LG. SCREW	2
6 PIN SPACER	1

MORTISE MOUNT LEFT DEAD BOLT

PARTS INCLUDED	QTY.
MORTISE DEAD BOLT STRIKE	1
#4 x 5/8" LG. SCREW	2
#8 x 1/2" LG. SCREW	2
6 PIN SPACER	1

LOCK PARTS

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F
GL	I	R	2424	BC	N

A Lock Style		
GL	Gang Lock	
B Core Type*		
I	I.C. Core	
C Housing Style		Price
R	Rim Series	\$47.26
M	Mortise Series	47.26
D Mount Style/Bar Length		
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED UP	
	2424 24"	7.75
	2436 36"	9.10
	2448 48"	19.95
	24CL Custom	Call
	24NO No Bar	1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED UP	
	2624 24"	7.75
	2636 36"	9.10
	2648 48"	19.95
	26CL Custom	Call
	FRONT MOUNT LOCKED DOWN	
	2824 24"	7.75
	2836 36"	9.10
	2848 48"	19.95
	28CL Custom	Call
	28NO No Bar	1.07
	SIDE MOUNT LOCKED DOWN	
	3024 24"	7.75
	3036 36"	9.10
	3048 48"	19.95
	30CL Custom	Call
E Plating Finish		
BC	Brushed Chrome	Std.
PC	Polished Chrome	0.00
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	0.00


Prices vary according to quantity ordered.

"Throw" (distance bolt travels from the locked to unlocked position) is 1/2".


FRONT MOUNT - FRONT VIEW




FRONT MOUNT - SIDE VIEW



FRONT MOUNT (Shown with a Gang 3C Kit)



SIDE MOUNT (Shown with a Gang 3C Kit)



Gang Lock Packages

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C
GANG	3	C

GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package		
GANG		
B Number of Drawers		Price
2		\$ 6.86
3		9.93
4		13.76
C Pin Length		
A 5/8"		
B 3/4"		
C 1-1/8"		
D 1-7/8"		

*Cores are not included with this lock. See page I13 to order cores.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
DL	I	35	RI	BC	N

A Lock Style		
DL	Drawer/Door Lock	
B Core Type*		
I	I.C. Core	
C Bolt Type		Price
35	Interlocking Spring	\$26.95
D Housing Style		
RIM SERIES		
RI	Inverted	
MORTISE SERIES		
MI	Inverted	
E Plating Finish		
BC	Brushed Chrome	Std.
PC	Polished Chrome	0.00
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.



Prices vary according to quantity ordered.





Patented

All dimensions shown are in the locked position.

RIM MOUNT INVERTED INTERLOCKING SPRING BOLT



MORTISE MOUNT INVERTED INTERLOCKING SPRING BOLT



*Cores are not included with this lock. See page I13 to order cores.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
DL	I	36	RV	BC	N


A Lock Style		
DL	Drawer/Door Lock	
B Core Type*		
I	I.C. Core	
C Bolt Type		Price
36	Snap Bolt	\$23.48
D Housing Style		
RIM SERIES		
RV	Vertical	
E Plating Finish		
BC	Brushed Chrome	Std.
PC	Polished Chrome	0.00
PB	Polished Brass	0.95
SB	Satin Brass	3.35
BL	Matte Black	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.

*Cores are not included with this lock.
See page I13 to order cores.

Prices vary according
to quantity ordered.



All dimensions shown are in the locked position.

RIM MOUNT VERTICAL SNAP BOLT

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G
PL	I	40	R2	BC	N	N



A Lock Style		
PL	Plunger Lock	
B Core Type*		
I	I.C. Core	
C Housing Style		
40	Oval Flange	
D Plunger Type/Length		Price
ROUND		
R2	1/2"	\$31.01
CL	Custom Length	Call
T SERIES		
T1	1/4"	35.42
E Plating Finish		
BC	Brushed Chrome	Std.
PC	Polished Chrome	0.00
PB	Polished Brass	0.95
SB	Satin Brass	3.35
CF	Custom Finish	Call
F Key Retaining		
N	No	Std.
Y	Yes	4.50
G Through Bolt Mount Kit		
N	No	Std.
YP	Mounting Post Kit	4.68
YS	Support Plate Small	5.14
YL	Support Plate Large*	5.88

Prices vary according to quantity ordered.

*Cores are not included with this lock.
See page I13 to order cores.

SMALL SUPPORT PLATE YS

LARGE SUPPORT PLATE YL




Screws are included at no charge.




All dimensions shown are in the locked position.


ROUND SERIES (Plunger travels 1/2")



T SERIES



PLI40R2BCNYP - EXPLODED VIEW WITH YP MOUNTING KIT



Note: Through Bolt Mount Kit is for 3/4" maximum material thickness.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	I	50	G1	BC	A

A Lock Style			
PL	Plunger Lock		
B Core Type*			
I	I.C. Core		
C Housing Style			
50	Round		
D Material Installation Kit			Price
KENSTAN ALPHA CORE			
G1	Glass		\$12.83
M1	Metal		12.54
W1	Wood		12.54
SUBSTITUTE ALPHA CORE			
G2	Glass		12.83
M2	Metal		12.54
W2	Wood		12.54
KENSTAN OR SUBSTITUTE STANDARD CORE			
G3	Glass		12.83
M3	Metal		12.54
W3	Wood		12.54
E Plating Finish			
BC	Brushed Chrome		Std.
PC	Polished Chrome		0.00
PB	Polished Brass		0.95
SB	Satin Brass		3.35
BL	Matte Black		3.35
CF	Custom Finish		Call
F Material Thickness			
	MINIMUM	MAXIMUM	
A	1/4"	3/8"	0.00
B	3/8"	1/2"	0.00
C	3/4"	7/8"	0.00
CL	Custom		Call

Prices vary according to quantity ordered.





*Cores are not included with this lock.
See page I13 to order cores.



Patented

KENSTAN ALPHA CORE HOUSING SHOWN

BACK PLATE

**GLASS INSTALLATION****METAL INSTALLATION****WOOD INSTALLATION**

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
RL	I	60	B1	BC	N

A	Lock Style	
RL	Ratchet Lock	
B	Core Type*	
I	I.C. Core	
C	Housing Style	
60	Ratchet	
D	Bar Type	Price
B1	Standard	\$28.65
B2	Adjustable	36.96
E	Plating Finish	
BC	Brushed Chrome	Std.
CF	Custom Finish	Call
F	Key Retaining	
N	No	Std.



Prices vary according to quantity ordered.

*Cores are not included with this lock. See page I13 to order cores.





All dimensions shown are in the locked position.

STANDARD BAR B1



ADJUSTABLE BAR B2 (Used on Wood, Metal & Acrylic)







Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I	J
COR	I	S7	F	SC	N	N	F	N	N

A Lock Style		
COR	Interchangeable Core	
B Core Type		
I	I.C. Core	
C Core Type/Number of Pins		Price
S6	Standard 6 Pin	\$15.45
S7	Standard 7 Pin	15.45
A7	Alpha 7 Pin	18.85
D Keyway		
8*	Secure (Patented)	1.00
A	Call	
B	Call	
C	Call	
D	Call	
E	Call	
F	0.00	
G	Call	
H	Call	
J	Call	
K	Call	
L	Call	
M	Call	
Q	Call	
E Plating Finish		
SC	Satin Chrome	Std.
PC	Polished Chrome	Call
PB	Polished Brass	Call
SB	Satin Brass	0.85
BL	Matte Black	2.25
CF	Custom Finish	Call
F Key Retaining		
Key retaining option is not available on Standard Core model. (Lock should be ordered as Key Retaining.)		
N	No	0.00
Y	Yes	0.00
G Keyed Different		
N	No	0.00
Y	Yes	0.45
H Stamp Core		
F	Face	0.00
S	Side	0.00
I Master Keyed		
N	No	0.00
Y	Yes	Call
G	Grand Master	Call
GA	Great Grand Master	Call
GB	Great Great Grand Master	Call
J Extended		
N	No	Std.
1	1/2" Extension	3.25
2	1" Extension	3.95

NOTE: Keys are not included with Cores.
See page I14 to order keys.

**STANDARD CORE****ALPHA CORE** (Key Retaining model shown)**ALPHA EXTENDED CORE** (Non-key Retaining model shown)**STANDARD EXTENDED CORE - EXPLODED VIEW**

*Restricted codes are available upon request. (Signature Req.)

Interchangeable Core Keys

Our Kenstan Interchangeable Core Key product ties into all of the existing Best Access alphabetical keyways.

Kenstan unrestricted **I** keys can be ordered by referencing the stamp number on the key. Keys duplicated by a locksmith will usually not carry over the stamp number – we may need the key sent to us to process your order for keys. Master keys will have **Master** stamped on the key bow; grand master keys will have **G Master** stamped on the key bow; great grand master keys will have **GG Master** stamped on the key bow and great great grand master Keys will have **GGG Master** stamped on the key bow. Core Removal keys will have **Control** stamped on the key bow.

If keys have been lost or stolen, we can reference the stamp number on the face or the side of the core (if available) or we can decode a core that is sent to our factory.



Patented 8 Keyway Key.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E
KEY	I	O	F	XXXX

A Item		
KEY	Key	
B Core Type		
I	I.C. Core	
C Key Function		Price
O	Operating	\$1.95
M	Master	1.95
G	Grand Master	1.95
GA	Great Grand Master	1.95
GB	Great Great Grand Master	1.95
C	Control To Remove Core	1.95
D Keyway		
8*	Kenstan Secure	2.00
A		
B		
C		
D		
E		
F		
G		
H		
J		
K		
L		
M		
Q		
E Key Code		
XXXX	Specific Up to 4 digits	
A	Any Kenstan assigns	


*Signature required for restricted codes.

Pin Tumbler Line of Locks



Introduction	$\frac{P}{1}$					
Cam Locks	$\frac{P}{2}$					
Drawer/Door Locks	$\frac{P}{3}$					
T Bolt Lock	$\frac{P}{4}$					
Plunger Lock	$\frac{P}{5}$					
Ratchet Locks	$\frac{P}{6}$					
Keys	$\frac{P}{7}$					



Standard Plating Finish*** Special Plating Finishes***** Custom Plating Finish**

* Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Pin Tumbler Line of Locks

For excellent security, our **P** line offers a variety of lock types that can be keyed alike, individually or in groups. They can also be master keyed or grand master keyed using thousands of 4 and 5 Pin Tumbler key combinations in National D4291 and CCL R1 keyways.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **P** line standard plating finish is Satin Chrome.

A wide range of special plating finishes is also available, including Polished Brass, Satin Brass, Matte Black, Polished Chrome, Statuary Bronze and Custom Finishes to match your showcase hardware.

Please note: Plating lot charges may apply to the special finishes – call for pricing.

Handing

Handing means the orientation of the key relative to the bolt movement. We can always orient the lock so the key is inserted vertically.

- **Right Handing** means the door hinges on the right side and locks on the left.
- **Left Handing** means the door hinges on the left side and locks on the right.
- **Vertical Handing** means the drawer is locked at the top.
- **Inverted Handing** means the drawer is locked at the bottom.

Key Control

Kenstan can register your keys and maintain your key plans by store, retail department, showcase/cabinets, or office and we maintain a historical database of key numbers. Keys should be secured when not in use.

Key Retaining vs. Non-Key Retaining Lock Function

The **P** line standard operation is a non-key retaining function (non-captive). In this operational condition, the operating key can be removed in the unlocked position.


For higher security we recommend the key retaining (captive) function, which forces the key to be removed in the locked position only. The lock cannot be accidentally left in the open/unlocked position.

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
CL	PN	04	0312	SC	N	Y	Y	N


A Lock Style			Price
CL	Cam Lock		
B Core Type			Price
PN	National Keyway		
PC	Corbin Keyway		\$ 0.00
C Housing Length			
	MAXIMUM MATERIAL THICKNESS	BARREL LENGTH	
04	3/4"	1-1/16"	17.95
05	7/8"	1-3/16"	18.69
06	1-1/8"	1-7/16"	19.43
07	1-1/2"	1-13/16"	20.05
D Cam Rotation			
	LOCKED	OPEN	
0312	3	12	
0306	3	6	
0603	6	3	
0609	6	9	
0912	9	12	
0906	9	6	
1203	12	3	
1209	12	9	
E Plating Finish			
SC	Satin Chrome		Std.
PB	Polished Brass		0.95
CF	Custom Finish		Call
F Key Retaining			
N	No		Std.
Y	Yes		0.00
G Keyed Different			
N	No		Std.
Y	Yes		0.45
H Stamp Lock			
N	No		Std.
Y	Yes		0.45
I Master Keyed			
N	No		Std.
Y	Yes		1.75
G	Grand Master		2.10



HOUSING LENGTHS 04, 05, 06 and 07



LOCK PARTS



#6 x 3/8" SHEET METAL
MOUNTING SCREW
3 included

CALL KENSTAN FOR LOCK ILLUSTRATION.

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	PN	M	20H	SC	N	Y	Y	N


A Lock Style		
DL	Drawer/Door Lock	
B Core Type		Price
PN	National Keyway	\$ 0.00
PC	Corbin Keyway	6.95
C Housing Length		
M	1"	0.00
L	1-1/2"	1.37
D Bolt Type		
STRAIGHT DEAD BOLT		
20R	Right	20.55
20L	Left	20.55
20I	Inverted	20.55
20V	Vertical	20.55
SPRING BOLT		
32R	Right	43.63
32L	Left	43.63
32V	Vertical	43.63
32I	Inverted	43.63
E Plating Finish		
SC	Satin Chrome	Std.
SB	Satin Brass	0.95
CF	Custom Finish	Call
F Key Retaining		
*Option available only on Straight Bolt model.		
N	No	Std.
Y*	Yes	4.50
G Keyed Different		
N	No	Std.
Y	Yes	0.45
H Stamp Lock		
N	No	Std.
Y	Yes	0.45
I Master Keyed		
N	No	Std.
Y	Yes	1.75
G	Grand Master	2.10

Prices vary according to quantity ordered.


Two keys are included with this lock.
See page P7 to order additional keys.



All dimensions shown are in the locked position.


STRAIGHT DEAD BOLT (20V shown)

PARTS INCLUDED	QTY.
STRAIGHT DEAD BOLT STRIKE	1
#6 x 1.0" LG. SCREW	4
#4 x 5/8" LG. SCREW	2


SPRING BOLT (32V shown)

PARTS INCLUDED	QTY.
SPRING BOLT STRIKE	1
#6 x 1.0" LG. SCREW	4
#8 x 5/8" LG. SCREW	2


These spring bolt locks can be converted to Vertical, Inverted, Left or Right hand orientation.

SPRING BOLT LEFT (32L shown)

PARTS INCLUDED	QTY.
SPRING BOLT STRIKE	1
#6 x 1.0" LG. SCREW	4
#8 x 5/8" LG. SCREW	2

SPRING BOLT INVERTED (32I shown)

PARTS INCLUDED	QTY.
SPRING BOLT STRIKE	1
#6 x 1.0" LG. SCREW	4
#8 x 5/8" LG. SCREW	2

LOCK PARTS

DL19 Drawer Lock

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
DL	PN	X	1901	SC	N	Y	Y	N

A Lock Style DL Drawer/Door Lock	
B Core Type PN National Keyway	Price \$19.95
C Housing X No Option	
D Bolt Type T BOLT 1901 1-1/4"	
E Plating Finish SC Satin Chrome CF Custom Finish	Std. Call
F Key Retaining N No	Std.
G Keyed Different N No Y Yes	Std. 0.45
H Stamp Lock N No Y Yes	Std. 0.45
I Master Keyed N No Y Yes G Grand Master	Std. 1.75 2.10


Prices vary according to quantity ordered.

Two keys are included with this lock. See page P7 to order additional keys.



All dimensions shown are in the locked position.

"T" BOLT LOCK



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G	H	I
PL	PN	40	R2	SC	N	Y	Y	N



A	Lock Style	
PL	Plunger Lock	
B	Core Type	Price
PN	National Keyway	\$31.80
PC	Corbin Keyway	37.82
C	Housing Style	
40	Oval Flange	
D	Plunger Type/Length	
ROUND SERIES		
R2	7/16"	
E	Plating Finish	
SC	Satin Chrome	Std.
PB	Polished Brass	0.95
CF	Custom Finish	Call
F	Key Retaining	
N	No	Std.
G	Keyed Different	
N	No	Std.
Y	Yes	0.45
H	Stamp Lock	
N	No	Std.
Y	Yes	0.45
I	Master Keyed	
N	No	Std.
Y	Yes	1.75
G	Grand Master	2.10

Prices vary according to quantity ordered.


Two keys are included with this lock. See page P7 to order additional keys.



All dimensions shown are in the locked position.

ROUND SERIES**LOCK PARTS**

PLUNGER CUP
1 included



PLUNGER EXTENSION
1 included



STRIKE LOCATOR
1 included



#6 x .75" L.G. MOUNTING SCREW
2 included

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.



A	B	C	D	E	F	G	H	I
RL	PN	60	B1	SC	N	Y	Y	N

A	Lock Style	
RL	Ratchet Lock	
B	Core Type	Price
PN	National Keyway	\$43.03
PC	Corbin Keyway	49.98
C	Housing Style	
60	Ratchet	
D	Bolt Type	
B1	Standard	
E	Plating Finish	
SC	Satin Chrome	Std. Call
CF	Custom Finish	
F	Key Retaining	
N	No	Std.
G	Keyed Different	
N	No	Std.
Y	Yes	0.45
H	Stamp Lock	
N	No	Std.
Y	Yes	0.45
I	Master Keyed	
N	No	Std.
Y	Yes	1.75
G	Grand Master	2.10

Prices vary according to quantity ordered.

Two keys are included with this lock. See page P7 to order additional keys.

New

STANDARD BAR **B1**

Pin Tumbler Keys

Our Pin Tumbler locks utilize either the National NA12 (D4291) or the Corbin R1 keyways. These flat brass 4 and 5 pin keys are widely available through locksmith distribution for key duplication.

Kenstan Pin Tumbler Keys can be ordered by referencing the stamp number on the key. Keys may be stamped with the key number itself (915 or 4T2) or a stamp number representing a key number (such as a **2** stamp representing a 915 or 4T2). Keys duplicated by a locksmith will usually not carry over the stamp number – we may need a photocopy of the key faxed or a key sent to us to process your order for keys. Master keys will have **Master** stamped on the key bow; grand master keys will have **GMK** stamped on the key bow.

If keys have been lost or stolen, we can reference the stamp number on the face of the lock (if available) or we can decode a lock that is sent to our factory.



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D
KEY	PN	O	XXXX

A	Item	
	KEY	Key
B	Core Type	
	PN	National Keyway
	PC	Corbin Keyway
C	Key Function	Price
	O	Operating \$ 2.00
	M	Master 2.00
	G	Grand Master 2.00
D	Key Code	
	XXXX	Specific Up to 4 digits
	A	Any Kenstan assigns

Electronic Line of Locks



Introduction	$\frac{E}{1}$					
Cam Locks	$\frac{E}{2}$					
Drawer/Door Locks	$\frac{E}{3}$					
Gang Lock	$\frac{E}{4}$					
Snap Bolt Lock	$\frac{E}{5}$					
Plunger Locks	$\frac{E}{6}$ $\frac{E}{7}$					
Keys/Core/Accessories	$\frac{E}{8}$					
Accessories	$\frac{E}{9}$					
Software	$\frac{E}{10}$					

New Electronic CyberLock® Line


Standard Plating Finish



* Special Plating Finishes



* Custom Plating Finish



Extended lead-time and plating lot charges may apply to
* Special and Custom finishes. Please call Kenstan for details.



The **E** CyberLock® is an innovative lock system that can not only be specified for new applications, but can easily replace or convert existing mechanical locks into a stand alone access control system. With electronic lock cylinders, programmable CyberKeys, and CyberAudit software, you can create a powerful system to track and control access to every lock in your facility. No wiring is required, and there is no battery in the lock to maintain. It's the battery in the key that powers the lock.

Delivery

At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available.

Plating

The **E** line standard plating finish is Polished Nickel.

A wide range of special plating finishes is also available, including Polished Brass, Satin Brass, Statuary Bronze, Matte Black and Custom Finishes to match your showcase hardware.

Please note: Extended lead-time and plating lot charges may apply to Special and Custom finishes. Please call Kenstan for details.

Handing

Handing means the orientation of the key relative to the bolt movement. We can always orient the lock so the key is inserted vertically.

- **Right Handing** means the door hinges on the right side and locks on the left.
- **Left Handing** means the door hinges on the left side and locks on the right.
- **Vertical Handing** means the drawer is locked at the top.
- **Inverted Handing** means the drawer is locked at the bottom.

Key Control

At the heart of a CyberLock system is the highly intelligent Cyberkey, which cannot be duplicated. Each user's CyberKey carries a unique schedule of which locks the user can open, and when are they allowed to open them. Keys can also be programmed with a date to begin working, and a date for key to expire. CyberKeys each have unique ID and are programmed with access codes that identify it as belonging to a system. Up to 3900 access events can be stored in the memory of each key, with details on the locks the key has contacted and the date and time of the contact.

Key Retaining Lock Function

The **E** line standard operation is a key retaining function (captive), which means that the operating key can be removed in the locked position only. Therefore, the lock cannot be accidentally left in the open/unlocked position.

Non-Key Retaining Lock Function

Some **E** Cam locks can also be supplied as non-key retaining (non-captive), which allows the key to be removed in both the locked and unlocked position.

Designer note: For **true** captive operation, the use of our captive key locks must be coordinated with sliding door showcase design. The use of **non by-passing** sliding doors is recommended to restrict door movement and ensure key removal only when the doors are in the **secure** position.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F
CL	EC	03	1203	PN	Y

A	Lock Style		
	CL	Cam Lock	
B	Core Type		
	EC	Electronic CyberLock®	
C	Housing Length		Price
		MAXIMUM MATERIAL THICKNESS	BARREL LENGTH
	03*	5/8"	15/16"
	04	3/4"	1-1/16"
			\$158.50
			158.50
D	Cam Rotation		
		LOCKED	OPEN
	0312	3	12
	0306	3	6
	0309	3	9
	0612	6	12
	0603	6	3
	0609	6	9
	0912	9	12
	0903	9	3
	0906	9	6
	1203	12	3
	1206	12	6
	1209	12	9
E	Plating Finish		
	PN	Polished Nickel	Std.
	PB	Polished Brass	6.35
	SB	Satin Brass	6.35
	BL	Matte Black	6.35
	ST	Statuary Bronze	6.35
	CF	Custom Finish	Call
F	Key Retaining		
	Y	Yes	Std.


Prices vary according to quantity ordered.




HOUSING LENGTH 03



Cams included with Housing Length 03




HOUSING LENGTH 04



Standard Cams cannot be used with 04 Housing Length

CAM ROTATION (Front of lock shown)



All 180 degree turns are clockwise, unless specified.

*Switch option available. See Page A10 to order switch kit.

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F	G
DL	EC	L	2001	PN	L	Y

A Lock Style		
DL	Drawer/Door Lock	
B Core Type		
EC	Electronic CyberLock®	
C Housing Length		Price
L	1-5/16"	\$167.57
D Bolt Type		
STRAIGHT BOLT		
2001	1-1/8"	Std.
2002	1-3/4"	0.10
2003	2-3/8"	0.20
2004	3-3/16"	0.30
3/8" OFFSET BOLT		
2205	1-11/16"	0.60
DIECAST SPRING BOLT		
3209	1-3/8" Std.	2.03
SLIDING SPRING BOLT		
3410	1-3/8" Left	9.97
3411	1-3/8" Right	9.97
E Plating Finish		
PN	Polished Nickel	Std.
PB	Polished Brass	6.35
SB	Satin Brass	6.35
BL	Matte Black	6.35
ST	Statuary Bronze	6.35
CF	Custom Finish	Call
F Handing		
L	Left	
R	Right	
V	Vertical	
I	Inverted	
G Key Retaining		
*Option available only on Spring Bolt models.		
N*	No	0.00
Y	Yes	Std.

Prices vary according to quantity ordered.


Note: Keys are not included with this lock.
 See page E8 to order keys.




"Throw" (distance bolt travels from the locked to unlocked position) is 7/16".

All dimensions shown are in the locked position.



RIGHT STRAIGHT BOLT





LEFT STRAIGHT BOLT





STRAIGHT BOLT VERTICAL





3/8" OFFSET BOLT VERTICAL



DIECAST SPRING BOLT VERTICAL (3/16" bolt engagement recommended)



SLIDING SPRING BOLT INVERTED



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F
GL	EC	L	2436	PN	Y

A Lock Style		
GL	Gang Lock	
B Core Type		
EC	Electronic CyberLock®	
C Housing Length		Price
L	1-5/16"	\$154.05
D Mount Style/Bar Length		
Notch for Pin must be on Bottom of Drawer	FRONT MOUNT LOCKED UP	
	2424	24" 7.75
	2436	36" 9.10
	2448	48" 19.95
	24CL	Custom Call
	24NO	No Bar 1.07
Notch for Pin must be on Top of Drawer	SIDE MOUNT LOCKED UP	
	2624	24" 7.75
	2636	36" 9.10
	2648	48" 19.95
	26CL	Custom Call
	FRONT MOUNT LOCKED DOWN	
Notch for Pin must be on Top of Drawer	2824	24" 7.75
	2836	36" 9.10
	2848	48" 19.95
	28CL	Custom Call
	28NO	No Bar 1.07
	SIDE MOUNT LOCKED DOWN	
Notch for Pin must be on Top of Drawer	3024	24" 7.75
	3036	36" 9.10
	3048	48" 19.95
	30CL	Custom Call
E Plating Finish		
PN	Polished Nickel	Std.
PB	Polished Brass	6.35
SB	Satin Brass	6.35
BL	Matte Black	6.35
ST	Statuary Bronze	6.35
CF	Custom Finish	Call
F Key Retaining		
Y	Yes	Std.


Prices vary according to quantity ordered.

Throw (distance bolt travels from the locked to unlocked position) is 7/16".


FRONT MOUNT - FRONT VIEW




FRONT MOUNT - SIDE VIEW



FRONT MOUNT (Shown with a Gang 3C Kit)



SIDE MOUNT (Shown with a Gang 3C Kit)



Gang Lock Packages

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C
GANG	3	C

GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A Package		
GANG		
B Number of Drawers		Price
2		\$ 6.86
3		9.93
4		13.76
C Pin Length		
A	5/8"	
B	3/4"	
C	1-1/8"	
D	1-7/8"	

Item Number

To determine your item number enter the **RED** option code for each section as in the example below.



A	Lock Style DL	Drawer/Door Lock	
B	Core Type EC	Electronic CyberLock®	
C	Housing Length L	1-5/16"	Price \$170.08
D	Bolt Type SNAP BOLT 36	3/4"	
E	Plating Finish PN PB SB BL ST CF	Polished Nickel Polished Brass Satin Brass Matte Black Statuary Bronze Custom Finish	Std. 6.35 6.35 6.35 6.35 Call
F	Handing L R V I	Left Right Vertical Inverted	
G	Key Retaining N	No	Std.


Prices vary according to quantity ordered.

Note: Keys are not included with this lock. See page E8 to order keys.




All dimensions shown are in the locked position.

SNAP BOLT (Housing is rotated 90 degrees for Left and Right Handing)



ISOMETRIC VIEW



PL40 Plunger Lock

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D	E	F
PL	EC	40	S3	PN	Y

A Lock Style		
PL	Plunger Lock	
B Core Type		
EC	Electronic CyberLock®	
C Housing Style		
40	Oval Flange	
D Plunger Type/Length		Price
S SERIES		
S3	5/8"	\$168.10
CL	Custom Length	Call
E Plating Finish		
PN	Polished Nickel	Std.
PB	Polished Brass	6.35
SB	Satin Brass	6.35
BL	Matte Black	6.35
ST	Statuary Bronze	6.35
CF	Custom Finish	Call
F Key Retaining		
N	No	1.25
Y	Yes	Std.



Prices vary according to quantity ordered.

Note: Keys are not included with this lock.
See page E8 to order keys.



All dimensions shown are in the locked position.

S SERIES



Item Number

To determine your item number enter the **RED** option code for each section as in the example below.


A	B	C	D	E	F
PL	EC	50	S3	PN	Y

A	Lock Style	
PL	Plunger Lock	
B	Core Type	
EC	Electronic CyberLock®	
C	Housing Style	
50	Round Flange	
D	Plunger Type/Length	Price
	S SERIES	
S3	5/8"	\$170.30
CL	Custom Length	Call
E	Plating Finish	
PN	Polished Nickel	Std.
PB	Polished Brass	6.35
SB	Satin Brass	6.35
BL	Matte Black	6.35
ST	Statuary Bronze	6.35
CF	Custom Finish	Call
F	Key Retaining	
N	No	1.25
Y	Yes	Std.

Prices vary according to quantity ordered.



All dimensions shown are in the locked position.

S SERIES

CyberKeys

At the heart of a CyberLock system is the highly intelligent Cyberkey, which cannot be duplicated. Each user's CyberKey carries a unique schedule which locks the user can open, and when are they allowed to open them. Keys can also be programmed with a date to begin working, and a date for key to expire. CyberKeys each have unique ID and are programmed with access codes that identify it as belonging to a system. Up to 3900 access events can be stored in the memory of each key, with details on the locks the key has contacted and the date and time of the contact.

It's the battery in the key that powers the Cyberlock system. When the key touches the lock, the battery powers the circuitry in the CyberLock so that the key and lock communicate. Two different keys are available: one with a replaceable 3-volt battery and one with a rechargeable lithium ion polymer battery.

Item Number


To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C	D
KEY	EC	O	B

A	Item	
KEY	Key	
B	Core Type	
EC	Electronic Cyber®	
C	Key Function	Price
O	Operating	98.00
OR	Operating	95.00
C	Rechargeable Control	98.00
	For Removable Core	
D	Key Tip	
B	Brass	Std.
S*	Stainless Steel	25.00

Prices vary according to quantity ordered.

* Not available with Control Key



If a particular accessory or lock is not shown in our catalog, please contact Kenstan for assistance. We may have it as a non-catalog item.

Small Format Cyber Removable Core

Item Number	Plating Finish*	Price
COR EC S7 X SC		\$215.00



To use this core with a Corbin/Russwin lock set refer to page # A9.

Cyberkey Tip

Item Number	Material	Price
A EC XX TIP KEY R D	Diecast Tip	\$18.00



For use with old version rechargeable battery CyberKeys.

Cyberkey Tip with more Durable Case

Item Number	Material	Price
A EC XX TIP KEY R B	Brass	\$18.00
S	Stainless Steel	44.00



For use with rechargeable battery CyberKeys.

Cyberkey Tip

Item Number	Material	Price
A EC XX TIP KEY B	Brass	\$10.00
S	Stainless Steel	36.00



For use with replaceable battery CyberKeys.

Communicators/Master CyberKey

Item Number	Price
KEY EC G	\$195.00



Prices vary according to quantity ordered.

Authorizer Keyport

Item Number	Price
A EC XX ATR KEY PRT1	\$398.00



CyberKey Authorizer allows programming and downloading keys from remote locations. When installed at the remote site, Authorizer connects back to the management software over the web, on a local network, or by modem.

Works with **Professional** and **Enterprise**.

Authorizer Hub

Item Number	Price
A EC XX HUB ATR	
NW1 Network	\$385.00
MD1 Modem	745.00
WB1 Web	595.00



Works with **Professional** and **Enterprise**.

CyberKey Charging Station

Item Number	Price
A EC XX CHG STN X010	\$58.00



For CyberKeys with rechargeable batteries.

USB WebStation

Item Number	Price
A EC XX STN USB W030	\$419.00



WebStation adds network capability to the USB Station, and can be used either connected directly to the USB port of the computer or installed anywhere in your facility where you have a network connection. Like the USB Station, it recharges the battery of the rechargeable CyberKey.

Works with **Professional** and **Enterprise**.

USB Station

Item Number	Price
A EC XX STN USB X020	\$189.00



The USB Station connects by cable to the computer USB port for communication between the keys and the software. The USB Station also recharges the battery of the rechargeable CyberKey.

Works with **Lite**, **Professional** and **Enterprise**.

Authorizer Mini Keyport

Item Number	Price
A EC XX ATR KEY PRT2	\$195.00



Works with **Professional** and **Enterprise**.

Collar

Item Number	Plating Finish*	Price
A EC CL COL XXX XX SS		\$15.00



For use with **Cyber Cam locks**.

Brush

Item Number	Price
A EC XX BRUSH	\$ 4.17



Used to clean **CyberKeys** and locks.

3 Volt Battery

Item Number	Price
A EC XX BAT 003 VOLT	\$8.33



For use with **CyberKeys**.

IR Encoder

Item Number	Price
A EC XX IRE USB 001	\$95.00




The IR Encoder is an infrared device that connects to a USB port. It links CyberKeys to the software by making an infrared connection to the IR port on the CyberKeys.

Works with **Lite**, **Professional** and **Enterprise**.

End Cap

Item Number	Plating Finish*	Price
A EC XX CAP END XX BL		\$4.00



For use with some **CyberKeys**.

Prices vary according to quantity ordered.

Prices vary according to quantity ordered.

Software to Manage Your CyberLocks - \$ Call for pricing

EntryPoint is a basic system comprised of hardware only; no software is required. EntryPoint is ideal for simple installations that require high security: a lock that cannot be picked and a key that cannot be duplicated.

An EntryPoint system includes standard CyberLock cylinders and CyberKeys, plus a Grand Master key. The Grand Master has a pre-programmed encrypted code and is used to program locks and keys with this encrypted code. CyberKeys are given 24/7 access to the locks.

CyberAudit-Web Lite is user-friendly software that allows scheduling access and viewing an audit trail from CyberLocks and CyberKeys. A simple matrix of locks, keys, and schedules is easy to use: the schedule you assign at the intersection of a lock and key determines how the key operates when it contacts that lock. Lite allows expiring keys on a regular basis.

CyberAudit-Web Lite installs on a local PC or Mac, and is intended for systems of up to 50 locks and 50 keys. In addition to the Lite software, a system consists of CyberLocks, CyberKeys, a Grand Master, and either an IR Encoder or USB Station for communication between the keys and the computer.

CyberAudit-Web Professional installs on your PC, Mac, or server for management of a CyberLock system. It is ideal for small- to medium-sized companies that need a high level of security and key control. Highlights of the Professional software are:

- Access scheduling: determine what keys should open what locks, and when.
- Audit trail: see the access information gathered by the locks and keys.
- Key expirations: decide how often you want each user's key to expire, then let the software manage expirations automatically for you.
- Email notifications: receive an email notification on specific events, such as denied entries or events over the weekend.
- Reporting: set up report templates to run regular reports on the data from locks and keys.
- Designation of lost keys: Use the lost key feature to block keys outside of your control from the locks.
- Software log: view the history of changes made in the software at any time.

A complete system includes locks, keys, one or more communicators, a Grand Master, and the Professional software.

CyberAudit-Web Enterprise is web-based software packaged on an application server. This management system is intended for large or more complexly-structured CyberLock installations. Enterprise builds on the features of Professional, and offers:

- Flexible access to the software: access Enterprise from any computer on a local network or the World Wide Web just by opening a browser and logging on.
- Hierarchy of administrators: give each person in the management chain control over their own people, locks, and keys independently, while allowing top administrators to view the entire system.
- On-demand access: use PDA cell phones to grant emergency one-time access or program and download keys in the field.
- Enhanced management tools: create groups of locks and permissions, program any available key with permissions for a specific user, and share locks with other Enterprise users.

A complete system includes locks, keys, one or more communicator devices, a Grand Master, and the Enterprise server. CyberAudit-Web Enterprise is packaged on a HP or IBM server running enterprise Linux. The application is written in Java and the web pages are served by Tomcat with Java Server Pages. The information is stored in a MySQL database.

CyberLock and CyberKey are registered trademarks of Videx, Inc.


Accessories

		A	D	K	M	S	V	I	P	E
										
Face Sleeves, Collars and Spacers	$\frac{A}{1}$									
Spacers and Washers	$\frac{A}{2}$									
Strikes	$\frac{A}{3}$									
Strikes and Mounting Plates	$\frac{A}{4}$									
Mounting Plates	$\frac{A}{5}$									
Gang Lock Hardware	$\frac{A}{6}$									
Miscellaneous	$\frac{A}{7}$ $\frac{A}{8}$									
Packages	$\frac{A}{9}$									
Switch Package and Cams	$\frac{A}{10}$									



FACE SLEEVE


Item Number						Plating Finish*	Price
A	U	CL	FSL	XXX	108	PN	\$0.51
						PB	0.51
						BL	0.71
						ST	0.71
						CF	Call



A decorative mounting for use with **D, K, M, S, V** and **E** Cam Locks.
The Face Sleeve can also be used to position the Cam.

FACE SLEEVE


Item Number						Plating Finish*	Price
A	U	CL	FSL	XXX	124	PN	\$0.60
						PB	0.76
						BL	0.76
						ST	0.76
						CF	Call



A decorative mounting for use with **D, K, M, S, V** and **E** Cam Locks.
The Face Sleeve can also be used to position the Cam.

FACE SLEEVE WASHER


Item Number						Plating Finish*	Price
A	U	CL	FSL	WSH	116	PN	\$0.51
						CF	Call



For use with **D, K, M, S, V** and **E** Cam Locks.

TRIM RING


Item Number						Plating Finish*	Price
A	U	DL	TRM	RNG	110	PN	\$0.71
						SB	0.71
						ST	0.71
						CF	Call



For use with **D, K, M, S** and **E** Drawer/Door Locks.

FINGER PULL


Item Number						Plating Finish*	Price
A	U	CL	PUL	FGR	XXX	PN	\$0.75
						CF	Call



For use with **D, K, M, S, V, P** and **E** Cam Locks.

COLLAR/SPACER


Item Number					Length	Plating Finish*	Price
A	U	CL	COL	SPA	013 1/8"	PC	\$2.25
					025 1/4"		2.50
					038 3/8"		2.95
					053 17/32"		3.25



For use with **D, K, M, S, V** and **E** Cam Locks.

COLLAR/SPACER


Item Number					Length	Plating Finish*	Price
A	I	CL	COL	SPA	009 3/32"	AL	\$2.79
					016 5/32"		2.79
					019 3/16"		2.79
					025 1/4"		2.79
					050 1/2"		2.79



For use with **I** Cam Locks.

PROTECTIVE COLLAR


Item Number						Plating Finish*	Price
A	I	CL	COL	BVL	173	BC	\$9.25
						PB	9.25
						CF	Call



A decorative mounting for use with **I** Cam Locks.

SPACER


Item Number							Plating Finish*	Price
A	I	25	SPA	PLA	013	WH		\$1.30



For use with **DLI25** Door Locks.

SPACER

Item Number							Plating Finish*	Price
A	P	DL	SPA	PLA	010	WH		\$1.10




For use with **P** Drawer/Door Locks.

*Plating Finish: **PN** Polished Nickel; **PB** Polished Brass; **SB** Satin Brass; **BL** Matte Black; **ST** Statuary Bronze; **BC** Brushed Chrome; **AL** Aluminum; **WH** White; **CF** Custom Finish


SPACER

Item Number	Plating Finish*	Price
A U 40 SPA XXX 200	PN	\$0.49
	CF	Call

For use with **D, K, M, S, V** and **E40** Plunger Locks.


SPACER

Item Number	Plating Finish*	Price
A U DL SPA XXX XXX	PN	\$0.32
	ST	0.32
	CF	Call

For use with **D, K, M, S, V** and **E** Drawer/Door and Gang Locks.


PLASTIC WASHER

Item Number	Plating Finish*	Price
A U CL WSH PLA 099	CL	\$0.23

For use with **D, K, M, S, V, P** and **E** Cam Locks.


ADHESIVE PLASTIC WASHER

Item Number	Plating Finish*	Price
A U CL WSH ADH 099	CL	\$0.23

For use with **D, K, M, S, V, P** and **E** Cam Locks.


FLAT METAL WASHER

Item Number	Plating Finish*	Price
A U CL WSH FLT 103	PN	\$0.25
	PB	0.30
	ST	0.30
	CF	Call

For use with **D, K, M, S, V, P** and **E** Cam Locks.


4 PRONG ANTI-ROTATION WASHER

Item Number	Plating Finish*	Price
A U CL WSH ANR 4PR	ZN	\$0.22
	CF	Call

For use with **D, K, M, S, V, P** and **E** Cam Locks.


2 PRONG ANTI-ROTATION WASHER

Item Number	Plating Finish*	Price
A U CL WSH ANR 2PR	ZN	\$0.25
	CF	Call

For use with **D, K, M, S, V, P** and **E** Cam Locks.


ANTI-ROTATION THREE TAB WASHER

Item Number	Plating Finish*	Price
A I CL WSH BRL 3FG	ZN	\$0.29

For use with **I** Cam Locks.


ANTI-ROTATION THREE TAB WASHER

Item Number	Plating Finish*	Price
A U CL WSH BRL 3FG	ZN	\$0.25


For use with **D, K, M, S, V, P** and **E** Cam Locks.

ANTI-ROTATION THREE TAB WASHER

Item Number	Plating Finish*	Price
A U CL WSH SPI 3FG	ZN	\$0.25


For use with **D, K, M, S** and **V** Cam Locks.*Plating Finish: **PN** Polished Nickel; **PB** Polished Brass; **BL** Matte Black; **ST** Statuary Bronze; **ZN** Zinc; **WH** White; **CF** Custom Finish

7/8" SLOTTED STRIKE PLATE




Item Number	Plating Finish*	Price
STR 201	PN	\$1.30
	CF	Call

1-1/8" SLOTTED STRIKE PLATE




Item Number	Plating Finish*	Price
STR 202	PN	\$0.89
	SB	0.70
	CF	Call

1-1/4" SLOTTED STRIKE PLATE




Item Number	Plating Finish*	Price
STR 203	PN	\$1.02
	CF	Call

1" SLOTTED STRIKE PLATE




Item Number	Plating Finish*	Price
STR 204	PN	\$1.75
	PB	1.60
	CF	Call

1-1/4" SOLID STRIKE PLATE




Item Number	Plating Finish*	Price
STR 211	PN	\$0.42
	CF	Call

1-7/8" SOLID STRIKE PLATE




Item Number	Plating Finish*	Price
STR 212	PN	\$1.75
	PB	1.60
	CF	Call

1" SPRING BOLT SLOTTED STRIKE PLATE




Item Number	Plating Finish*	Price
STR 321	PN	\$1.75
	PB	1.60
	CF	Call

1-1/8" SPRING BOLT SLOTTED STRIKE PLATE




Item Number	Plating Finish*	Price
STR 322	PN	\$2.30
	PB	3.90
	CF	Call

1-7/8" SPRING BOLT SOLID STRIKE PLATE



Item Number	Plating Finish*	Price
STR 331	PN	\$1.75
	PB	1.60
	CF	Call

1/2" ADJUSTABLE "L" STRIKE




Item Number	Plating Finish*	Price
STR 221	PN	\$0.81
	CF	Call

*Plating Finish: **PN** Polished Nickel; **PB** Polished Brass; **SB** Satin Brass; **CF** Custom Finish


Strikes/Mounting Plates

3/16" "L" STRIKE




Item Number	Plating Finish*	Price
STR 231	PN	\$0.68
	CF	Call

3/8" "L" STRIKE




Item Number	Plating Finish*	Price
STR 232	PN	\$0.59
	CF	Call

1/2" "L" STRIKE



Item Number	Plating Finish*	Price
STR 233	PN	\$0.64
	CF	Call


13/16" "L" STRIKE



Item Number	Plating Finish*	Price
STR 234	PN	\$0.64
	CF	Call


STRIKE PLATE

Item Number	Plating Finish*	Price
A U 40 STR XTX XXX BN		\$0.54



For use with **D, K, M, S, V** and **E40** Plunger Locks.

ROUND PLUNGER CUP STRIKE




For use with **D, K, M, V** and **P** Round Style Plungers.

Item Number	Plating Finish*	Price
STR 261	SN	\$0.57
	SB	0.57
	CF	Call

ANTI-ROTATION PLATE


Item Number	Plating Finish*	Price
A U CL PLT ANR 125	PN	\$2.73
	PB	2.78
	BL	2.84
	ST	2.84
	CF	Call



For use with **D, K, M, S, V** and **P** Cam Locks.

ANTI-ROTATION MOUNTING PLATE


Item Number	Plating Finish*	Price
A U CL PLT ANR 128	ZN	\$0.78
	CF	Call



For use with **D, K, M, S, V** and **P** Cam Locks.

ANTI-ROTATION MOUNTING PLATE


Item Number	Plating Finish*	Price
A I CL PLT ANR XXX	ZN	\$1.25
	CF	Call



For use with **CLI** Cam Locks.

ANTI-ROTATION "J" BRACKET

Item Number	Plating Finish*	Price
A U CL JBK ANR 026	PN	\$2.30
	PB	2.40
	BL	2.40
	ST	2.40
	CF	Call




For use with **D, K, M, S, V, P** and **E** Cam Locks.
Hole must be drilled 1-1/4" from edge of glass.

*Plating Finish: **PN** Polished Nickel; **SN** Satin Nickel; **PB** Polished Brass; **SB** Satin Brass; **BL** Matte Black; **ST** Statuary Bronze; **ZN** Zinc; **CF** Custom Finish

ANTI-ROTATION MOUNTING PLATE/ 3 FINGER WASHER


Item Number	Price
A U CL PLT ANR XXX BN	\$0.38

New

For use with **D, K, M, S, V, P** and **E** Cam Lock.


SMALL SUPPORT PLATE

Item Number	Plating Finish*	Price
A I 40 PLT XXX SML	PC	\$5.14
	SC	5.14
	PB	5.14
	CF	Call

For use with **I40** Plunger Locks.
Screws are included at no charge.

LARGE SUPPORT PLATE


Item Number	Plating Finish*	Price
A I 40 PLT XXX LGE	PC	\$5.88
	SC	5.88
	PB	5.88
	CF	Call

For use with **I40** Plunger Locks.
Screws are included at no charge.

MOUNTING PLATE

Item Number	Plating Finish*	Price
A U DL PLT MNT XXX	PN	\$3.75
	CF	Call


New

Included are: Qty. 6 #8 x 3/4" LG PHIL. HD. wood screws,
Qty. 2 #6-32 x 3/8" & Qty 2 #6-32 x 7/16" PHIL. HD. machine screws.
Used to secure **D, K, M, S, V** and **E** Door/Drawer locks on wood.

MOUNTING/SPACER PLATE


Item Number	Plating Finish*	Price
A U DL PLT MNT SPA	PN	\$2.85
	CF	Call

New

For use with **D, K, M, S** and **E** Drawer/Door Locks.

"J" BRACKET


Item Number	Plating Finish*	Price
A U 50 JBK ANR XXX	PN	\$2.95
	PB	3.00
	SN	3.00
	BL	3.00
	CF	Call

For use with **D, K, M** and **S50** Plunger Locks.
Hole must be drilled 1-1/2" from edge of glass.

SMALL MOUNTING PLATE

Item Number	Plating Finish*	Price
A U 40 PLT XXX 067	PN	\$3.65
	CF	Call


New

For use with **D, K, M, S, V** and **E40** Plunger Locks.

LARGE MOUNTING PLATE


Item Number	Plating Finish*	Price
A U 40 PLT XXX 137	PN	\$3.85
	CF	Call

New

For use with **D, K, M, S, V** and **E40** Plunger Locks.*Plating Finish: **PN** Polished Nickel; **SN** Satin Nickel; **PB** Polished Brass; **BL** Matte Black; **PC** Polished Chrome; **SC** Satin Chrome; **RD** Red; **CF** Custom Finish


ADJUSTABLE STOP

Item Number	Plating Finish*	Price
A U GL STP ADJ 065 PN		\$0.89

For use with **D, K, M, S, V** and **I** Gang Locks.


1/16" THICK SPLIT LOCK WASHER

Item Number	Plating Finish*	Price
A U XX WSH LKW 026 PN		\$0.10




CLOSED BAR GUIDE

Item Number	Plating Finish*	Price
A U GL BGU CLO 065 PN		\$0.78




OPEN BAR GUIDE

Item Number	Plating Finish*	Price
A U GL BGU OPN 065 ZN		\$0.49



RIGHT DRAWER CATCH





Item Number	Plating Finish*	Price
A U DL CTH RHT XXX PN		\$3.85



For use with self-closing Gang Lock drawers.


EXTENSION PIN

Item Number	Length	Plating Finish*	Price
A U XX PIN EXT 063	5/8"	PN	\$1.30
075	3/4"		1.30
113	1-1/8"		1.30
188	1-7/8"		1.30
CL	Custom		Call




FRONT MOUNT GANG LOCK BAR

Item Number	Length	Plating Finish*	Price
A U GL BAR FMT 240	24"	BL	\$6.68
360	36"		8.03
480	48"		18.88
CL	Custom		Call




SIDE MOUNT GANG LOCK BAR

Item Number	Length	Plating Finish*	Price
A U GL BAR SMT 240	24"	BL	\$6.68
360	36"		8.03
480	48"		18.88
CL	Custom		Call

For use with **D, K, M, S, V** and **I** Gang Locks.

LEFT DRAWER CATCH

Item Number	Plating Finish*	Price
A U DL CTH LFT XXX PN		\$3.85




For use with self-closing Gang Lock drawers.

*Plating Finish: **PN** Polished Nickel; **BL** Matte Black; **ZN** Zinc


RUBBER CAM COVER

Item Number	Plating Finish*	Price
A U CL CVR CAM RBR BL		\$0.35



For use with Cams.


3" CAM



Item Number	Price
A P CL CAM 110	\$1.55

For use with P Cam Locks.

3" I.C. CORE CAM LOCK CAM



Item Number	Price
A I CL CAM 110	\$1.65

For use with I Cam Locks.

6 PIN CORE SPACER


Item Number	Price
A I XX SPA XX6 PIN	\$0.63



For use with I Locks.

RED PLASTIC ACTUATOR


Item Number	Plating Finish*	Price
A I XX ACT XXX PLA RD		\$0.99



For use with I Locks.


2 BAR ASSEMBLY

Item Number	Length	Plating Finish*	Price
A U CL BAR 2PC CL	Custom	GR	Call



STANDARD BAR FOR RATCHET LOCK


Item Number	Plating Finish*	Price
A U 60 BAR XB1 STD	PN CF	\$4.04 Call



For use with D, K and M Ratchet Locks.

ADJUSTABLE BAR FOR RATCHET LOCK


Item Number	Plating Finish*	Price
A U 60 BAR XB2 ADJ	PN CF	\$4.99 Call



For use with D, K and M Ratchet Locks.

CAM ADAPTER

Item Number	Price
A U CL ADP CAM	\$0.30




Use to mount Standard Cams on to K, M, S and V Cam Locks.

*Plating Finish: **PN** Polished Nickel; **SN** Satin Nickel; **PB** Polished Brass **BL** Matte Black; **ZN** Zinc; **CF** Custom Finish

5/16" SPACER


Item Number	Plating Finish*	Price
A U XX SPA XXX 31 PC		\$0.68



Used to prevent metal track from bending when mounting locks.

RUBBER "O" RING


Item Number	Plating Finish*	Price
A I 50 RNG RNG 160 BL		\$0.23



For use with **I50** Plunger Locks.

3/4" INTERNAL LOCK WASHER

Item Number	Plating Finish*	Price
A U CL WSH LKW 075 ZN		\$0.36



For use with **D, K, M, S, V, P** and **E** Cam Locks.


KEY RING (Wrist Strap)

Item Number	Plating Finish*	Price
KEY RNG 001	RD	\$2.29
	BL	2.29



MOUNTING POST

Item Number	Plating Finish*	Price
A U 40 PST MNT 036	SN	\$2.34
	PB	2.39



Call Customer Service to order desired screws.

ELBOW CATCH

Item Number	Plating Finish*	Price
A U XX CTH ELB XXX	PB	\$0.85
	CF	Call



Use to secure the second door when using double doors.

DUST COVER


Item Number	Plating Finish*	Price
A U CL CVR DST XXX	BN	\$2.25
	CF	Call



For use with **D, K, M, S, V, P** and **E** Cam Locks.

SECURITY HEX KEY


Item Number	Plating Finish*	Price
A U XX TOL HEX 009	BL	\$12.00



Use to remove Security Screw from Plunger Locks.

PLUG REMOVAL TOOL


Item Number	Price
A D XX TOL PLG	\$35.00



For use with some **D** Locks.

MOUNTING CLIP

Item Number	Plating Finish*	Price
A U CL CLP MNT XXX	ZN	\$0.69
	CF	Call




For use with **K** and **M** Cam Locks.

*Plating Finish: **PN** Polished Nickel; **SN** Satin Nickel; **PB** Polished Brass **BL** Matte Black; **ZN** Zinc; **RD** Red; **CF** Custom Finish


LARGE TO SMALL FORMAT I.C. CORE ADAPTER

Item Number	Plating Finish*	Price
A I XX SLV COR CBR SC		Call
CF		Call



TOOL INSTALL LARGE TO SMALL FORMAT I.C. CORE ADAPTER

Item Number	Plating Finish*	Price
A I XX TOL SLV CBR BN		Call




I.C. CORE CAM LOCK GLASS INSTALLATION PACKAGE

CLIKK BC A kit with one "L" bracket and two plastic washers.

A	B
CLIKK	BC

A	Package	
	CLIKK	
B	Plating Finish	Price
	PC Polished Chrome	3.85
	BC Brush Chrome	3.15
	PB Polished Brass	3.85
	BL Matte Black	3.85
	ST Statuary Bronze	3.85
	CF Custom Finish	Call




GANG LOCK PACKAGE

To determine your item number enter the **RED** option code for each section as in the example below.

A	B	C
GANG	3	C

GANG 3C A kit with three adjustable stops, three 1-1/8" pins, three lock washers, and four closed bar guides.

A	Package	
	GANG	
B	Number of Drawers	Price
	2	\$ 6.86
	3	9.93
	4	13.76
	5	17.61
	6	21.46
C	Pin Length	
	A 5/8"	
	B 3/4"	
	C 1-1/8"	
	D 1-7/8"	




CAM LOCK GLASS INSTALLATION PACKAGE

A	B	C
CLJK	25	PN

CLJK 25 PN A kit with one flat nickel washers, two plastic and one Polished Nickel "J" bracket.

A	Package	
	CLJK	
B	Glass Thickness	
	25 1/4"	
C	Plating Finish	Price
	PN Polished Nickel	\$ 3.00
	PB Polished Brass	3.15
	BL Matte Black	3.15
	ST Statuary Bronze	3.15
	CF Custom Finish	Call




Package/Cams

UNIVERSAL SWITCH KIT (Lock, three tab washers and nuts not included)


Two position maintained switch (Not Spring Loaded)

Double pole double throw Toggle Switch rated 10amp/250VAC, with screw terminal.




A Package		
SLUK		
B Material Thickness		Price
75	3/4"	Call
O	Other	Call
C Plating Finish		
PN	Polished Nickel	Call
SN	Satin Nickel	Call
PB	Polished Brass	Call
BL	Matte Black	Call
ST	Statuary Bronze	Call
CF	Custom Finish	Call


New



Switch Kit Exploded view



If a particular accessory is not shown in our catalog, please contact Kenstan for assistance. Kenstan may have the part as a non-catalog item or we will modify an existing part to meet your specific application. We offer prompt service in the development and quoting of custom accessory parts.

CAM TYPE**Note:** All cams are reversible.

CAM TYPE	Price
STRAIGHT CAM	
CAM 101 5/8"	\$ 0.43
CAM 102 3/4"	0.43
CAM 103 7/8"	0.43
CAM 104 1"	0.43
CAM 105 1-1/8"	0.43
CAM 106 1-1/4"	0.43
CAM 107 1-3/8"	0.45
CAM 108 1-1/2"	0.45
CAM 110 1-3/4"	0.45
CAM 112 2"	0.50
CAM 116 2-1/2"	0.50
1/8" OFFSET CAM	
CAM 303 7/8"	0.60
CAM 306 1-1/4"	0.65
CAM 308 1-1/2"	0.65
CAM 312 2"	0.70
1/4" OFFSET CAM	
CAM 403 7/8"	0.60
CAM 404 1"	0.65
CAM 406 1-1/4"	0.65
CAM 408 1-1/2"	0.65
CAM 410 1-3/4"	0.65
CAM 412 2"	0.70
CAM 414 2-1/4"	0.70
3/8" OFFSET CAM	
CAM 504 1"	0.65
CAM 506 1-1/4"	0.65
CAM 508 1-1/2"	0.65
CAM 512 2"	0.70
1/2" OFFSET CAM	
CAM 606 1-1/4"	0.65
CAM 608 1-1/2"	0.65
CAM 610 1-3/4"	0.65
CAM 612 2"	0.70
5/8" OFFSET CAM	
CAM 712 2"	2.00
HOOK CAM	
CAM 202 3/4"	0.60
CAM 204 1"	0.65
CAM 206 1-1/4"	0.65
CAM 208 1-1/2"	0.65
CAM 210 1-3/4"	0.65
CUSTOM CAM	
CL CL	Call

1. Pricing: Kenstan Lock reserves the right to institute price adjustments based upon fluctuation of material costs without prior notice. Orders, or balances of orders, that have not shipped within 6 months from the original order date may be subject to a price review.

2. Payment Terms: Payment must be made at time of purchase, unless otherwise approved by Kenstan with terms of Net 30 Days from the date of the invoice. A service charge of 1.5% per month will be charged on overdue accounts.

3. Shipping: Please be sure to specify your preferred shipping method on every order. For all orders received without shipping instructions, Kenstan will use our discretion to make carrier selection based upon the most economical method of shipment available to meet your required in house date. Kenstan is not responsible for risk of loss or damage to products in transit with the selected carrier.

4. Deliveries: At Kenstan, we assemble every lock to order and strive to meet your requested in-house date. Our standard lead time is to ship within two weeks from the receipt of your order. Rush orders and emergency services are available. Unless specifically prohibited in writing by the purchaser, Kenstan reserves the right to make partial shipments of any order.

5. Inspection: Kenstan Lock inspects all products in accordance with our standard quality control procedures. Upon receipt and inspection by the purchaser, any parts proven to be defective or not as ordered may be returned to Kenstan for repair or replacement following the conditions in the "Returned Goods" section (#6) below.

6. Returned Goods: Product replacement or account credit for any returned goods will be made solely at the discretion of Kenstan and will only be accepted upon the issuance of a Return Authorization number from Kenstan's Customer Service Department. Merchandise proven to be defective, due to faulty material and/or workmanship, may be returned for full replacement or credit. Any product ordered incorrectly by the customer may be accepted for return and subject to a 50% handling charge. Locks made with special or out-of production parts are not returnable, unless prior arrangements have been made. Returned merchandise that is damaged in transit, due to inadequate return packaging, will not be accepted.

7. Warranty: Kenstan Lock warrants, for a period of one year from delivery, that our products are free from defects in material and workmanship and makes no other warranties, expressed or implied, including but not limited to the degree of security or the purchaser's application or use of our product. Kenstan Lock Co. will not warranty any locks or parts that were modified outside of our factory. In the event of a product defect, Kenstan shall only be responsible to the extent of the cost of our product, and will not accept any claims for labor or loss of merchandise.

8. Cancellation: If all or any part of an order is cancelled before the completion of the product assembly by Kenstan, the purchaser shall be responsible for payment of all assembled items as well as any special parts ordered for items remaining unassembled at the time of cancellation. If pricing on the original order was based upon Kenstan's quantity discount, a partial cancellation may affect the pricing on items already shipped and invoiced and a price adjustment will be made.

9. Catalog Dimensions and Sample Policy: Please be aware that all lock and part drawing dimensions carry a tolerance of plus or minus 1/16" and are for reference only. Please contact us for actual dimensions. All specifications are subject to change without notice. Samples products are available upon request.